DAFTAR PUSTAKA

Abdulrazaq N.B., Cho M.M., Win N.N., Zaman R., & Rahman M.T. (2012). Beneficial effect of ginger (Zingiber officinale) on carbohydrate metabolism in streptozotocin-induced diabetic rats. *British journal of Nutrition,* [online] 108(7), pp.1194-1201. Available at: https://www.ncbi.nlm.nih.gov/pubmed/22152092 (Accessed: 4 April 2018)

Almatsier S. (2004). *Penuntun Diet edisi baru,* hal. . Jakarta: Gramedia Pustaka Utama, pp.53-54.

Amalia Safitri (2005). *Lecture Notes: Kedokteran Klinis edisi keenam.* Jakarta: Gelora Aksara Pratama, pp.190-193

Banerjee, S., Mullick, H. I., Banerjee, J., & Ghosh, A. (2011). Zingiber officinale: 'a natural gold'. *International Journal Pharmaceutical Biological-Science*, [online] 2(1), pp.283-294. Available at: https://www.researchgate.net/publication/278029811_ZINGIBER_OFFICINALE_A_NATURAL_GOLD (Accessed: 10 Agustus 2016)

Bowker L.K., Briggs R.S.J., Gallagher P.J., & Robertson R.C. (1992). Raised blood urea in the elderly: a clinical and pathological study. *Postgraduate Medical Journal,* [online] 68(797), pp.174-179. Available at: https://www.ncbi.nlm.nih.gov/pubmed/1589374 (Accessed: 4 April 2018)

Cayman Chemical (2017). *Safety Data Sheet. Nicotinamide.* [Online] Available at: https://www.caymanchem.com/msdss/11127m.pdf (Accessed: 9 Maret 2018)

Cayman Chemical (2013). *Safety Data Sheet. Streptozotocin*. [Online] Available at: https://www.caymanchem.com/msdss/13104m.pdf (Accessed: 9 Maret 2018)

Chunlaratthanaphorn S., Lertprasertsuke N., Srisawat U., Thuppia A., Ngamjariyawat A., Suwanlikhid N., dan Jaijoy K. (2007). Acute and subchronic toxicity study of the water extract from root of *Imperata cylindrica* (Linn.) Raeusch. In rats. *Songklanarakarin Journal of Science and Technology*. [online] 29(1), pp.141-155. Available at: https://www.researchgate.net/publication/26627437_Acute_and_subchronic_toxicity_study_of_the_water_extract_from_Harrisonia_perforata_Merr_in_rats (Accessed: 9 Maret 2018)

Dahal A., dan Mulukuri S. (2015). Flavonoids In Kidney Protection. *World Jorunal af Pharmacy and Pharmaceutical Sciences.* [online] 4(3), pp.362-382. Available at: www.wjpps.com/download/article/1425122374.pdf (Accessed: 19 Maret 2018)

Dalimartha S. (2000). *Atlas Tumbuhan Obat Indonesia* Jilid 2. Jakarta: Trubus Agriwidya, pp.146-148

Deeds, M. C., Anderson, J. M., Armstrong, A. S., Gastineau, D. A., Hiddinga, H. J., Jahangir, A., & Kudva, Y. C. (2011). Single dose streptozotocin-induced diabetes: considerations for study design in islet transplantation models. *Laboratory animals*, [online] 45(3), pp.131-140. Available at: https://www.ncbi.nlm.nih.gov/pubmed/21478271 (Accessed: 9 Maret 2018)

Dine A. (2012). *Renal physiology anatomy and physiology*. USA: Addison Wesley, pp.78-90.

Edmund L. (2012). *Kidney function tests. Clinical chemistry and molecular diagnosis, 4th ed*. America: Elsevier, pp.797-831.

Firdous, M. Koneeri, R., Sarvaraidu, C.H., Harish, M., Shubhapriya, K.H. (2009). NIDDM Antidiabetic Activity of Saponins of Momordica Cymbalaria in Streptozotocin-Nicotinamde NIDDM Mice. *Journal of Clinical and Diagnostic Research,* [online] 3(2), pp.1460-1465. Available at: http://www.jcdr.net/pdf_download.asp?issn=0973-709x&year=2009&month=April&volume=3&issue=2&page=1460&id=494 (Accessed: 4 April 2018)

Fisbach, T.F., Dunning M.B. (2009). *A Manual of Laboratory and Diagnostic Test 8th Edition*. Philadelphia: Lipincott Williams & Wilkins.

Food and Drug Administration (2015). *Blood Serum Chemistry - Normal Values*. *Investigations Operations Manual 2015*, [online]. Available at: https://www.fda.gov/downloads/ICECI/Inspections/IOM/UCM135835.pdf (Accessed: 4 April 2018)

Frank C. (2010). *Biomarkers of impaired renal function.* Netherlands: Wolters Kluwer Health, pp.525-37.

Gaedeke (2000). *Renal function test. Laboratory and diagnostic test handbook.* New York: Addison Wesley, pp.706-15.

Ghasemi A, Khalifi S, Jedi S. (2014). Streptozotocin-nicotinamide-induced rat model of type 2 diabetes. *Acta Physiologica Hungarica.* [online] 101(4). pp.

408-420. Available at: https://www.ncbi.nlm.nih.gov/pubmed/25532953 (Accessed: 12 Agustus 2016)

Giknis, M.L.A. dan Clifford, C.B. (2006). *Clinical Laboratory Parameters for Crl:CD(SD) Rats*. Wilmington: Charles River, pp.8.

Gowda S., Desai P.B., Kulkarni S.S., Hull V.V., Math A.A.K., Vernekar S.N. (2010). Markers of renal function tests. *North American Journal of Medical Sciences*, [online] 2(4), pp.170-173. Available at: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3354405/ (Accessed: 9 Maret 2018)

Guyton A.C. dan Hall J.E. (2014). *Buku Ajar Fisiologi Kedokteran, edisi 12*. Jakarta: Penerbit Kedokteran EGC, pp.324-364.

Higgins C. (2016). Urea and creatinine concentration, the urea: creatinine ratio. [online] Available at: https://acutecaretesting.org/en/articles/urea-and-creatinine-concentration-the-urea-creatinine-ratio (Accessed: 9 Maret 2018)

Hikmah, N., Dewi A.P.S., Maulana H. (2015). Diabetic Blood Glucose Level Profile with Stratified Dose (SD-STZ) and Multi Low Dose Streptozotocin (MLD-STZ) Induction Methods. *Journal of Tropical Life Science*, [online] 5(1), pp.30-34. Available at: http://www.jtrolis.ub.ac.id/index.php/jtrolis/article/view/253 (Accessed: 9 Maret 2018)

Hwee K.L., Tung C.K., Chay T.H. (2009). *A Guide to Medicinal Plants: an Ilustrated, Scientific and Medicinal Approach*. Singapore: World Scientific Publishing, pp.75-76,99-100.

Integrated Taxonomic Information System (ITIS), n.d. *ITIS Report. Stachytarpheta jamaicensis (L.) Vahl*, [online]. Available at: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=32204&print_version=PRT&source=to_print#null (Accessed: 6 April 2018)

International Diabetes Federation (2017). *IDF Diabetes Atlas 8th edition*, [online]. Available at: http://diabetesatlas.org/resources/2017-atlas.html (Accesed: 6 April 2018)

Jayalakshmi S., Patra A., Lal V.K., Ghosh A.K. (2010). Pharmacognostical Standardization Of Roots Of Imperata Cylindrica Linn (Poaceae), *Journal of Pharmaceutical Research and Sciences*. 2(8): 472-476. Available at: https://www.researchgate.net/publication/47438191_Pharmacognostical_standardization_of_roots_of_Imperata_cylindrica_Linn_Poaceae (Accessed: 9 Maret 2018)

Kementerian Kesehatan RI (2013). Laporan Riset Tumbuhan Obat dan Jamu (RISTOJA) 2012: *Eksplorasi Pengetahuan Lokal Etnomedisin dan Tumbuhan Obat di Indonesia Berbasis Komunitas*. Tawangmangu: Balai Besar Penelitian dan Pengembangan Tanaman Obat dan Obat Tradisional, pp.33,40.

Kim, E. J., Oh, H. A., Choi, H. J., Park, J. H., Kim, D. H., & Kim, N. J. (2013). Heat-processed ginseng saponin ameliorates the adenine-induced renal failure in rats. *Journal of ginseng research*, [online] 37(1), pp.87-93.

Available at: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3659619/ (Accessed: 9 Maret 2018)

Liew, P. M., & Yong, Y. K. (2016). Stachytarpheta jamaicensis (L.) Vahl: From Traditional Usage to Pharmacological Evidence. *Evidence-Based Complementary and Alternative Medicine*, [online] 2016(10), pp.1-7. Available at: https://www.hindawi.com/journals/ecam/2016/7842340/ (Accessed: 11 Agustus 2016)

Markakis, C., Tsaroucha, A., Papalois, A. E., Lambropoulou, M., Spartalis, E., Tsigalou, C., & Simopoulos, C. (2016). The role of Eugenol in the prevention of acute pancreatitis-induced acute kidney injury: experimental study. *Hepatopancreatobiliary Surgery: surgery : a world journal of hepatic, pancreatic and biliary surgery*, [online] 2016(1), pp.1-9. Available at: https://www.hindawi.com/journals/hpb/2016/3203147/ (Accessed: 19 Maret 2018)

Mehta R.L, Kellum J.A., Shah S.V., Molitoris B.A., Ronco C., Warnock D.G., Levin A. (2007). Acute Kidney Injury Network: report of an initiative to improve outcomes in acute kidney injury. *Critical Care*, [online] 11(2):R31. Available at: https://www.ncbi.nlm.nih.gov/pubmed/17331245 (Accessed: 29 Maret 2018)

Mescher, A.L. (2014). *Histologi Dasar Junqueira, Teks dan Atlas, Edisi 12.* Jakarta: Penerbit Kedokteran EGC, pp. 325-326.

Murray R.K., Granner D.K., Rodwell V.W. (2013). *Biokimia Harper.* Jakarta: EGC, pp.255-262, 281-287.

Nugroho, A.E. (2006). Hewan Percobaan Diabetes Mellitus: Patologi dan Mekanisme Aksi Diabetogenik. *Biodiversitas*, [online] 7(4), pp.378-382. Available at: biodiversitas.mipa.uns.ac.id/D/D0704/D070415.pdf (Accessed: 9 Maret 2018)

Nurhidayati, Ekawanti, A., Padauleng, N., Mertha, IG., Rahmawati, N., Wibawa, H., Pahar., K., dan Priyanti. (2016). Potensi Ramuan Kencing Manis dari Lombok: Kajian Uji Toksisitas dan Aktivitas Antidiabetik In Vivo Pada Tikus Yang Diinduksi Nikotinamid Dan Streptozotocin. [Unpublished]

PERKENI. (2015). *Konsensus Pengelolaan Diabetes Melitus Tipe 2 di Indonesia*. Semarang. PB PERKENI

Price, S.A., dan Wilson M.L. (2006). *Patofisiologi: Konsep Klinis Proses-Proses Penyakit.* Jakarta: Penerbik Kedokteran EGC, pp.873-902.

Ravindran, P.N. (2017). *The Encyclopedia of Herbs and Spices, Vol. 1*. London: CAB International, pp.461

Saladin, K.S. (2003). *Anatomy & Physiology: The Unity of Form and Function 3rd ed.*. New York: McGraw-Hill.

Sanaye M.M., Joglekar C.S., Pagare N.P. (2015). Mimosa- A Brief Overview. *Journal of Pharmacognosy And Phytochemistry*; [online] 4(2), pp.182-187. Available at: http://www.phytojournal.com/archives/?year=2015&vol=4&issue=2&part=C&ArticleId=602 (Accessed: 11 Agustus 2016)

Savitri A.M. (2014). Uji Toksisitas Akut Ekstrak Etanol Herba Putri Malu (Mimosa pudica L.) pada mencit *Swiss Webster* Jantan. Universitas Katolik Widya Mandala Surabaya. [Skripsi]. Available at: http://repository.wima.ac.id/3512 (Accessed: 7 Maret 2018)

Setiati S, Alwi A, Sudoyo A.W., Simadibrata M., Setiyohadi B, Syam AF. (2014). *Diabetes Mellitus: Buku Ajar Ilmu Penyakit Dalam Jilid 2, Edisi VI*. Jakarta Pusat: Interna Publishing, pp.2315-2328.

Sharma, S.P. (2004). Nitric oxide and kidney. *Indian Journal of Nephrology*, [online] 14(1), pp.77-84. Available at: medind.nic.in/iav/t04/i3/iavt04i3p77.pdf (Accessed: 26 Maret 2018)

Sherwood L. (2013). *Fisiologi Manusia: Dari Sel ke Sistem, edisi 6*. Jakarta: Penerbit Kedokteran EGC, pp.553-558.

Subash K.G. dan Anand S. (2014). Medicinal properties of *Zingiber officinale* Roscoe – *A Review*. *Journal of Pharmacy and Biological Sciences*, [online] 9(5), pp.124-129. Available at: https://pdfs.semanticscholar.org/feb5/1489784d880514c34b4050d13415e0950456.pdf (Accessed: 9 Maret 2018)

Sujiatmo A.B., Sukandar E.Y., Candra, Vikasari S.N. (2015). Uji Toksisitas Akut Ekstrak Air Herba Pecut Kuda (Stachytarpheta jamaicensis (L) VAHL) pada Mencit Swiss Webster. *Kartika Jurnal Ilmiah Farmasi.* [online] 3(2), pp.32-37. Available at: https://www.researchgate.net/publication/320314074_ (Accessed: 9 Maret 2018)

Sumono A., dan Wulan A.S.D. (2008). The use of bay leaf (Eugenia polyantha wight) in dentistry. *Dental Journal (Majalah Kedokteran Gigi),* [online] 41(3), pp.147-150. Available at: https://e-journal.unair.ac.id/MKG/article/download/1002/785 (Accessed: 9 Maret 2018)

Supriadi (2001). *Tumbuhan Obat Indonesia Penggunaan dan Khasiatnya*. Jakarta: Pustaka Populer, pp.145

Taufiqurrohman (2015). Artikel Review Indonesian Bay Leaves As Antidiabetic For Type 2 Diabetes Mellitus. *Journal Majority,* [online] 4(3): pp.101-108. Available at: juke.kedokteran.unila.ac.id/index.php/majority/article/viewFile/558/559 (Accessed: 9 Maret 2018)

Taxonomicon, n.d. Taxon: Species Imperata Cylindrica (Linnaeus) Palisot de Beauvois, alang-alang (plant). [online] Available at: http://taxonomicon.taxonomy.nl/TaxonTree.aspx?id=9950&tree=0.1&syn=1 (Accessed: 6 April 2018)

Toussaint N. (2012). *Screening for early chronic kidney disease. The CARI guidelines*. Australia: Saunder. pp.30-55.

Weanen, (2002). *New marker for kidney disease. Clinical Chemistry*. 3rd ed. USA: Elsevier. pp.1375-89.

Whiting D.R., Guariguata L., Weil C., Shaw J. (2011). IDF Diabetes Atlas: Global estimates of the prevalence of diabetes for 2011 and 2030. *Diabetes Research and Clinical Practice,* [online] 94(3), pp.311-321.

Available at: https://www.ncbi.nlm.nih.gov/pubmed/22079683 (Accessed: 26 Maret 2018)

Widharna R.M., Ferawati, Tamayanti W.D., Hendriati L., Hamid I.S., Widjajakusuma E.C. (2015). Antidiabetic Effect of the Aqueous Extract Mixture of Andrographis paniculata and Syzygium polyanthum leaf. *European Journal of Medicinal Plants,* [online] 6(2), pp.82-91. Available at: https://www.researchgate.net/publication/282802335_ (Accessed: 20 Maret 2018)