C18 by Abdul Syukur

Submission date: 26-Aug-2020 09:39AM (UTC+0700) Submission ID: 1374170714 File name: 11..oseding_terindeks_Scopus-2,_ScitePress.pdf (317.87K) Word count: 2251 Character count: 12696

The Perspective of Local Community's on Mangrove Resilience and Needs Conservation Along the Southern Coast of Lombok Island, Indonesia

Agil Al Idrus, Abdul Syukur and Lalu Zulkifli

Postgraduate Program and Department of Sciences Education, Faculty of Teacher Training and Education, Universitas Mataram, Jalan Majapahit No 56 Mataram Nusa Tenggra Barat, Indonesia

Keywords: Community's perspectives, resilience of mangrove, conservation.

Abstract: Mangroves are well known by local communities as plants. They are essential for coastal protection of marine organisms, habitats, resouches, and their livelihood. This study formulates the value of resilience and vulnerability of many by from the perceptive of local communities as the basis of conservation. The collected data through from direct observation, questionnaires, interviews and discussions were analyzed using descriptive statistical analyses. The results showed that the most important value of mangrove resilience is from the local people perspectives. The development of mangroves are straight forward and could grow on their own. Mangrove plants can restore environmental conditions for the habitat of marine organism. The local people can look for organisms that had economic value for a source of livelihood. Therefore, the consideration of conservation for magrove could become of great benefit for suronding communities on a grand scale.

1 INTRODUCTION

7 Resilience has provided a way for thinking about policies for the future, an important consideration in world characterized by unprecedented environmental change (Chapin et al, 2009). The main elements of the resilience approach includes attention to drivers and change processes, treating social-ecological systems as complex adaptive systems characterized by cycles and uncertainty, and social systems and ecos 4 tems as coupled and coevolving (Berkes, 2010). The issues of resilience and vulnerability are likely to become more important in the framing of resource management questions in the future. Therefore it is possible to develop strong local support for sustainable management of mangrove forests in areas where a positive attitude towards mangrove conservation prevails (Badola et al., 2012). ecological In addition. the knowledge's understanding has huge potention for local communities and can be a component in the protection of coastal ecosystems for the sustainability of biodiversity (Syukur, 2013). However, the local community's ecological potential has not been formulated in conservation formulas, such as

mangrove conservation. The local communities need the ecological knowledge in order to be able to identify the needs of mangrove conservation at local levels. Therefore, the objective of this research is to see the recovery of mangrove vegetation and biotas in the ecosystem playing a role as an indicator of resilience.

2 MATERIALS AND METHODS

The study was conducted from April to October 2017 on the southern coast of East Lombok. The study conducted and involved the people in Tanjung Luar, Ketapang Raya and Jerowaru (Figure 1) with geographic position $116 \circ 27'0"$ - $116 \circ 30'0"$ LU and - $8 \circ 48'0"$ - $8 \circ 51'0$). Research sample was determined proportionally to take into account the length of stay of minimum 20 residents. They factored in education level, livelihood and distance of residence in the mangrove location. In addition, snowball sampling technique is used to gain depth of information about the ecological knowledge structure of local communities (Aswani and Lauer 2006;). The research data was analyzed by a discrete statistic method that

Al Idrus, A., Syukur, A. and Zulkifli, L

The Perspective of Local Community's on Mangrove Resilience and Needs Conservation Along the Southern Coast of Lombok Island, Indonesia. DOI: 10.5220/0007547805990603

In Proceedings of the 2nd International Conference Postgraduate School (ICPS 2018), pages 599-603

ISBN: 978-989-758-348-3

Copyright © 2018 by SCITEPRESS - Science and Technology Publications, Lda. All rights reserved

ICPS 2018 - 2nd International Conference Postgraduate School

to get conceptual pictured about society, ecology, knowledge, structure, and description in a ecological perspective (Few 2009).




Figure 1. Research location

3 RESULTS AND DISCUSSION

3.1 Diversity of Mangrove Species and Diversity of Fauna Species

The vegetation of mangrove in the study area represents the potential of mangroves on the southern coast on Lombok Island (Table 1). The mangrove species found on all the location are Avicennia marina, Rhizophora stylosa, Sonneratia alba and Xylocarpus moluccenis. In addition, the species of mangrove found in two locations are Avicennia lanata dan Bruguiera cylendrica. The different number of mangrove species on each sampling area may reflect environmental conditions. Furthermore, the dominant mangrove species found in Tanjung Luar is Rhizophora stylosa, Avicennia lanata in Kedome, Avicennia marina and Sonneratia alba in Lungkak, Sonneratia alba in Teluk Jor and also Sonneratia alba in Teluk Ekas. The mangrove species are lower, compared to other locations such as in Gili Sulat where the number of species totaled eleven (Agil et al., 2015).

Table 1. The diversity of mangrove species in the study area.

Species	Tan jung Luar	Kedo me	Lung kak	Poton Bakau	Teluk Jor	Teluk Ekas
Avicennia marina	V	V	V	V	V	
Avicennia lanata		\checkmark	\checkmark			

Bruguiera					\checkmark	
cylendrica						
Ceriops			\checkmark			
decandra						
Lumnitzera						
10 emosa						
Rhizophora						
apiculata						
Rhizophora				V		
mucronata						
Rhizophora			\checkmark			
stylosa						
Sonneratia	V		N	V		
alba						
Xylocarpus	V		N			
moluccenis						
Total	4	6	7	6	9	:
Number						
of Species						

The mangrove species in each sampling area have ecologically contributed to the sustainab 2 ty of the biota diversity. In this study, we found a diversity of animals associated with mangroves (Table 2). The types of animals associated with mangroves are a form of mangrove ecological services. The diversity of fauna species the can be found within the areas such as crustacean, insects, fish, vertebrates (Varanus sp, Chrysopelea sp, Cerberus sp.), mamalia ((Lutrogale sp danCallosciurus sp.), primate groups and birds (Agil et al., 2015), mangrove can be referred to the home for biodiversity (Ellison, 2008; Nagelkerken et al., 2008;). Furthermore, the environmental services from mangrove plays a role in the regulation of gas for the balance of CO2 and O2 in the atmosphere. As well as climate regulation, genetic resources, regulator of species and biophysical dynamics and increase biodiversity value (Larkum et al., 2006).

Class	Species	Location						
Ciuss	species	Tan jung Luar	Ke do me	Lung kak	Po ton Ba kau		Teluk Ekas	
Gas	Cerithidea							
tro	cingulata	+	$^+$	+	+	$^+$	+	
poda	Cerithidea							
	quadrata	+	$^+$	+	+	$^+$	+	
	Chicoreus							
	capucinus	-	-	-	+	-	-	
	Chicoreus sp.	$^+$	$^+$	+	+	$^+$	+	
	Litoria							
	scabra	+	$^+$	+	+	$^+$	+	
	Littoraria							
	melanosto	+	$^+$	+	+	$^+$	+	

The Perspective of Local Community's on Mangrove Resilience and Needs Conservation Along the Southern Coast of Lombok Island,

Indonesia

ma							Habitat and
	-	-	-	+	-	-	feeding groun
							The small fish
	+	+	+	+	+	+	Habitat of ma
<i>Oliva</i> sp.	-	-	-	+	-	-	other fish
Pomacea							The sources o
canalicula							fertility
ta	$^+$	+	+	+	+	+	
Strombus sp.	$^+$	+	$^+$	-	-	-	Provisioning
Sulcospira							material output
sp.	$^+$	+	$^+$	$^+$	$^+$	+	Foods
* .							Wood
um							
telescopium	-	-	$^+$	-	-	-	Cegulating an
Terebralia							maintenance
sulcata							Purification o
Volema							Flood control
mvristica							Regulation
	+	+	+	+	+	+	climate via
I							sequestration
Scvlla							River flow
	+	+	+	+	+	+	
							Cultural
	-	+	-	-			(non-material
							Cognitive
					. /		development
oosennui							Recreation
	Murex sp. Nerita undata Oliva sp. Pomacea canalicula ta Strombus sp. Sulcospira sp. Telescopi um telescopium Terebralia sulcata	Murex sp Nerita undata + Oliva sp Pomacea canalicula ta + Strombus sp. + Sulcospira sp. + Telescopi um telescopium - Terebralia sulcata Volema myristica t Uca sp. + Scylla serrata + Varanus salvator - Cryptophis	Murex sp Nerita undata + + Oliva sp Pomacea canalicula ta + + Strombus sp. + + Sulcospira sp. + + Telescopi um telescopium Terebralia sulcata - Volema myristica - t Uca sp. + + Scylla serrata + + Varanus salvator - + Cryptophis	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Murex sp. - - + + - - + - Nerita undata + + + + + + + + + - - - - + - Pomacea - - - + - Pomacea - - - + - - Sucalita - + + + + + + + + + + + + + - Sulcospira -	Murex sp. - - + + - - Nerita undata + - - - Pomacea - - - Pomacea - - - - Pomacea - - - - Pomacea - <t< td=""></t<>

3.2 Assessment of Local Communities on the Ecological Function of Mangrove

The diversity of mangrove services in the perspective of local communities is the value of environmental services obtained from the presence of mangroves. The communities interviewed as respondents can distinguish between species of mangroves based on morphological characteristics, such as; life spots and fruit types Furthermore, they stated that mangrove are important for many habitats, such as; fish holothuroidea, mollusca, birds and reptile. The local knowledge of mangroves represents its ability to describe it is many services ((Table 3).

Distribution of scores on the results of respondents assessment (Table 3), it shows that the number of respondents who choose the benefits from the mangrove in the category are useful and very useful, was prominent.

Table 3. The distribution of respondents based on the results of an assessment of the ecological role and benefits of mangroves for the community's, n=100.

Description	Results of respondents assessment				
	no	les	qui	Bene	very
	ben	s	te	fit	bene
	fit				fit

Habitat and fish	0	12	15	30	40
feeding ground The small fish habitat	0	3	13	31	45
Habitat of marine life	0	0	14	44	42
other fish	0	0	14	44	42
The sources of marine	0	0	15	20	65
	0	0	15	20	05
fertility					
Provisioning services					
material outputs					
Foods	80	20	0	0	0
1 0000	00	20		10	0
Wood	0	0	5	10	85
Cegulating and					
maintenance					
Purification of water	0	0	20	25	55
Flood control	0	0	15	20	65
Regulation of the	0	5	25	35	30
climate via carbon					
sequestration					
River flow	0	0	10	20	70
Calture 1					
Cultural services					
(non-material)				~ -	
Cognitive	0	15	15	25	45
development					
Recreation	0	0	5	10	85
Aesthetic experiences	0	0	10	20	70

3.3 The Perspective of Local Community's on the Resilience of Mangrove

Resilience is a parameter for assessing ecosystem changes to recover after receiving a disturbance. Resilience is the observatio 6 of a disturbance to the system that can absorb and retain the same function, structure, and identity and it is the ability to self organize as well as its capacity in adapting toward environmental change and socia 6 coological systems as complex adaptive systems (Walker et al. 2008; Chapin et al, 2009; Berkes, 2010). Moreover, resilience is a property of a system, and in Social-Ecological Systems (SES), humans have the added capacity to anticipate change to some degree and influence future paths.

The local communities in the study area have adequate knowledge of mangrove services (Table 3). In this case, they can identify changes in mangrove conditions as an object of assessment of the mangrove resilience and associated biota. However, resilient objects are extensive and complex in mangrove ecosystems, so this study used mangrove resilience indicators of cover value and mangrove density, using example such as species of biota ;fish, shrimp, crab and molluscs. The assessment of mangrove resilience in several categories namely (e.g., mangrove category has recovered between 75% - 100%, the mangrove category has recovered between 50% - 75%% and the 13 ngrove category has recovered <50%. Here is the results of respondents' assessment of mangrove resilience in the study area (Figure 2).




Figure 2. Respondent's assessment of mangrove resilience, n = 100.

The results of the respondents' assessment presented in Figure 2, are the mangrove condition has not recovered to 50% which is quite limited compared with those who have recovered above 50% -100%. However, the condition of biota (e.g., fish, shrimp, crabs and mollusks), more than 50% of respondents said, has not recovered to 50%. It explains the reason of mangrove has a faster recoverey compared to the biota associated with the location, or biota of economic value in the location. Those who are exploited have a slower recovery. Nevertheless, the findings of this study were indicators of mangrove resilience from a community perspective in accordance with the concept of ecological resilience.

The respondents are able to identify mangrove resilience and formulate conservation efforts for its preservation. This in turn generates their social awareness and views regarding management options. It can be stated that they desire the mangrove area to be protected, especially from the effort to change the mangrove land into pond land, salt fields and new settlement. Furthermore, they are also expected the mangroves used in an environmentally friendly manner through the development of eco-friendly cultivation and tourism.

4 CONCLUSION

The local people's perspectives on the mangroves resilience are significant. The knowledge of local people on mangrove environmental service is extremely relevant in the effort to maintain a balance ecosystem. The local people's knowledge about the natural system is a great value to scientific research and understanding leading to better conservation efforts by all who are involved.

ACKNOWLEDGEMENT

The authors are thankful to the Directorate General of Strengthening Research and Development, Directorate of Research and Community Service, Ministry of Research, Technology and Higher Education of Indonesia for providing the funding for carrying out this study. The authors well also like to thank Dr. Alifman Hakim, a scientist from the University of Mataram Indonesia, for his constructive criticism and comments during the preparation of this article.

REFERENCES


- Agil Al-I, Hadiprayitno G, Hamdi L dan Mertha IG. 2015. Potensi Vegetasi dan Arthropoda diKawasan Mangrove Gili Sulat Lombok Timur. *Biologi Tropis*, 15 (2): 62-70.
- Aswani S, Lauer M. 2006. Incorporating fishers' local knowledge and behavior into geographical information systems (GIS) for designing marine protected areas in Oceania. *Human Organization*, 65:80–101.
- Badola, R., Barthwal, S., and Hussain, S.A.2012. Attitudes of local communities towards conservation of mangrove forests: A case study from the east coast of India. Estuarine, Coastal and Shelf Science, 96: 188-196
- Berkers, F. 2010. Shifting perspectives on resource management: Resilience and the Reconceptualization of 'Natural Resources' and 'Management. *MAST*. 9(1): 13-40.
- Chapin, 8S., Kofinas G.P. and Folke, C. 2009 Principles of Ecosystem Stewardship: Resilience-based Resource Management in a Changing World. New York: Springer-Verlag

The Perspective of Local Community's on Mangrove Resilience and Needs Conservation Along the Southern Coast of Lombok Island,

Indonesia

- Ellison A M. 2008. Mangrove ecology applications in forestry and costal zone management. *Aquatic Botany*, (89): 77.
- Few 15 2009. Conservation, participation, and power: protected-area planning in the coastal zone of belize. *Journal of Planning Education and Research*, 19: 410 – 408.
- Larkum AWD. Robert JO dan Carlos M. Duarte. 2006. Seagrasses : *Biology, Ecology and Conservation.* Springer. Netherlands
- Nagelkerken, I., Blaber, S.J.M., Bouillon, S., Green, P., Haywood, M., Kirton, L.G., Meynecke, J.-O., Pawlik, J., Penrose, H.M., Sasekumar, A., Somerfield, P.J., 2008. The habitat function of mangroves for terrestrial and marine fauna: A review. Aquatic. Botany. 89: 155–18.
- Syukur, A. 2013. Pengetahuan Ekologi Masyarakat 12 kal sebagai Indikator Penilaian Potensi Lamun (*Seagrass*) di Tanjung Luar Lombok Timur. Jurnal Biologi Tropis, 13 (2): 209-217
- Walters, B.B., Ronnback, P., Kovacs, J.M., Crona, B., Hussain, S.A., Badola, R., Primavera, I.H., Barbier, E., and Dahdouh-Guebas, F. 2(11) Ethnobiology, socio-economics and management of mangrove forests: A review. *Aquatic Botany*, 89: 220–236

ORIGINALITY REPORT



"Factors influencing the well-being of smallscale fishers in the Gulf of Thailand", Ocean & Coastal Management, 2017

Publication

5	SEBASTIAN C.A. FERSE, MARÍA MÁÑEZ COSTA, KATHLEEN SCHWERDTNER MÁÑEZ, DEDI S. ADHURI, MARION GLASER. "Allies, not aliens: increasing the role of local communities in marine protected area implementation", Environmental Conservation, 2010 Publication	1%
6	"Adaptive Management of Social-Ecological Systems", Springer Science and Business Media LLC, 2015 Publication	1%
7	Fikret Berkes. "Understanding uncertainty and reducing vulnerability: lessons from resilience thinking", Natural Hazards, 2007 Publication	1%
8	Klaus J. Puettmann. "Restoring the Adaptive Capacity of Forest Ecosystems", Journal of Sustainable Forestry, 2014 Publication	1%
9	Solstrand, Maria-Victoria. "Marine angling tourism in Norway and Iceland: Finding balance	1%

tourism in Norway and Iceland: Finding balance in management policy for sustainability : Marine angling tourism in Norway and Iceland: Finding balance in management policy for sustainability", Natural Resources Forum, 2013.

Publication

10	Mangrove Ecosystems of Asia, 2014. Publication	1%
11	Vanessa Maxemilie Ngo-Massou, Guillaume Léopold Essomè-Koum, Ernest Kottè-Mapoko, Ndongo Din. "Biology and Distribution of Mangrove Crabs in the Wouri River Estuary, Douala, Cameroon", Journal of Water Resource and Protection, 2014 Publication	1%
12	Calvin Talakua, Yuliana Rumengan. "PERTUMBUHAN LAMUN HASIL TRANSPLANTASI Enhalus Acorides DI PADANG LAMUN TELUK AMAHAI", Jurnal Biosilampari : Jurnal Biologi, 2020 Publication	1%
13	Abdul Syukur, Agil Al-Idrus, Lalu Zulkifli. "Ecotourism Development Based on the Diversity of Echinoderms Species in Seagrass Beds on the South Coastal of Lombok Island, Indonesia", Journal of Environmental Science and Technology, 2020 Publication	<1%

14

Trevor Jones, Harifidy Ratsimba, Lalao Ravaoarinorotsihoarana, Garth Cripps, Adia Bey. "Ecological Variability and Carbon Stock <1%

Estimates of Mangrove Ecosystems in Northwestern Madagascar", Forests, 2014

Publication

Exclude quotes	Off	Exclude matches	Off
Exclude bibliography	On		