Sukardi_IJDNE-2022_Determination_og_Type_ MPTS.pdf

Submission date: 21-Sep-2022 09:55PM (UTC+0700) Submission ID: 1905402668 File name: Sukardi_IJDNE-2022_Determination_og_Type_MPTS.pdf (1.03M) Word count: 4377 Character count: 24244



International Journal of Design & Nature and Ecodynamics Vol. 17, No. 4, August, 2022, pp. 579-584

Journal homepage: http://iieta.org/journals/ijdne

Determination of the Type of Multy Purpose Tree Species (MPTS) Plant Featured in the Area of Community Forest (HKm) Central Lombok



Lalu Sukardi^{1*}, Andi Chairil Ichsan¹, Indra Gumay Febryano², Muhamad Husni Idris¹, Bambang Dipokusumo¹

Faculty of Agriculture, University of Mataram, Mataram 83115, Indone 6
 Faculty of Agriculture, Universitas Lampung, Bandar Lampung 35145, Indonesia

Corresponding Author Email: lsukardi@unram.ac.id

ABSTRACT
This study aims to: (1) identify the types of existing MPTS plants in the HKm area, and (2) determine the featured MPTS plants in HKm areas. This research was carried out in
the HKm area of North Batukliang District, Central Lombok Regency. Data and
information collection was carried out through: interviews with 30 samples, in-depth interviews, document tracing, and observations. Data analysis was performed with Process Hierarchy Analysis (AHP). The results of the study are: (1) The dominant types of MPTS planted by the community in the HKm area of North Batukliang, Central Lombok are: durian, banana, coffee, cocoa, jackfruit, rambutan, avocado, mangosteen; and (2) The featured MPTS plants that can be developed in the HKm North Batukliang area of Central Lombok from in order as follows: durian, banana, coffee, cocoa, avocado, jackfruit, rambutan, and mangosteen. It is recommended that the government or other parties support the provision of quality plant seeds, especially for the five priority MPTS

1. INTRODUCTION

The community forestry program (HKm) raises new hope for the community around the forest area for a better future [1-3]. The community has the opportunity to plant seasonal crops among forest so that it will increase the income of farmers' households [4-6]. With the existence of HKm, it is hoped that the welfare of local communities can increase through the optimal, fair and sustainable use of forest resources while maintaining the sustainability of forest and environmental functions [7-11].

In West Nusa Tenggara (WNT) Province, the 14 blishment of HKm began in 1995/1996 with reference to the Decree of the Minister of Forestry Nomor 622 /Kpts-II/1995. The WNT Provincial Government has had a legal umbrella for the development of HKm by issuing the Regional Regulation (Perda) No. 6 of 2004 concerning Guidelines for the Implementation of Community Forests in West Nusa Tenggara Province. Similarly, Central Lombok Regency of WNT Province has also issued Perda No. 4 of 2009 concerning the Implementation of HKm [12].

The development of the HKm program in the protected forest area of North Batukliang District, Center Lombok Regency began in 1999. However, the governance of the HKm area could not run well so its performance was low [4]. One of the reasons is poor program planning, a factor that is also found in other areas of Indonesia and in other countries [13-23].

The development of HKm in North Batukliang District, Central Lombok Regency cannot be separated from the attention and participation of the parties. Efforts were made in the communication of the parties or stakeholders starting with PAR Rinjani, which then several Non-Governmental Organizations (NGOs) followed up in facilitating the acceleration of licensing for the North Batukliang IUPHKm, Central Lombok Regency. The involvement of NGOs, such as SAMANTA, TRANSFORM, YKSSI, GUMPAR has contributed greatly to the development of HKm in this area [10, 12, 24, 25].

One of the programs aimed to improve the welfare of the community (especially HKm managers) is the development of MPTS (Multi Purpose Tree Species) plants. MPTS is a land management system where various types of wood are grown and managed, not only to produce wood, but also leaves and fruits that can be used as food or animal feed. The HI2 n program has made a positive contribution to improving the welfare of the people around the forest (especially HKm management farmers) [9].

However, the HKm program is still felt to hav 2 not been able to show optimal results, especially in an effort to improve the welfare of the people around the forest. One of the factors that are suspected to be the cause is that the type of MPTS plant developed is not based on the advantages of each type of plant. On the basis of that consideration, the research entitled "Determination of MPTS Plant Types Priority E7Pellence in Central Lombok Community Forest Area (HKm) needs to be done. The objectives of this study are: (1) to identify the type of MPTS plant existed in the HKm area of North Batukliang, and (2) to dtermine the priority of feartured MPTS plants in the HKm area of North Batukliang District of Central Lombok.

2. METHODS

This research uses descriptive methods. This study only explores data/information related to the development of MPTS plants in HKm area. Furthermore, a system 1 ic, factual and accurate description of the facts, properties and relationships between the phenomena studied [26].

This research was carried out in the HKm area of North Batukliang District, Central Lombok Regency, namely: Lantan Village, Karang Sidemen Village, Aik Berik Village, and Setiling Village. The collection of data and information was carried out using interview, in-depth interview, document tracing, and observation. The number of samples was set in quota as many as 30 households.

Furthermore, to determine the priority of MPTS plant, a Process Hierarchy Analysis (AHP) was carried out. There are 7 (seven) criteria that were taken into consideration in determining priority MPTS plants, namely: (1) economic benefits obtained, (2) production grace periods, (3) ease of maintenance, (4) opportunities/market demands on production, (5) negative influences on understory plants, (6) resistance to disease, and (7) length productive period.

The determination of these seven criteria was adjusted to the target of HKm development, namely improving the economy of farmer families (HKm managers) while maintaining the sustainability of the functions and carrying capacity of the forest (ecological and economic considerations). Furthermore, these seven criteria are comprehensively as the basis for the selection of priority MPTS plants, where the weight of each criterion is determined based on the consideration of competent experts.

More about the design and structure of Process Hierarchy Analysis (AHP) for the selection of priority MPTS plants in the HKm area is presented in Figure 1.




Figure 1. Process Hierarchy Analysis Structure (AHP) for determination of MPTS Plant featured in HKm Kec. Batukliang Area north of Central Lombok

Priority Excellence in HKm Kec. Batukliang Area north of Central Lombok.

To produce priority flagship MPTS plants, expert assessment is required through in-person interview techniques with experts. Assessment of the elements involved in the analysis using a comparison scale in pairs with assessments as in Table 1 [27, 28]. The stages of the Analytic Hierarchy Process (AHP) calculation process are as follows [29-33]:

- (1) Establish a hierarchy of problems;
- (2) Create a paired comparison matrix;

(3) Determine the overall priority value (TPV) by summing the values of each column and dividing it by the number of columns;

(4) Check consistency ratio (CR) consistency with the following steps:

a. Determines the average value (λ max) with the formula:

$$\lambda_{max} = \frac{(\lambda_{max}K_1 + \lambda_{max}K_2 + \dots + \lambda_{max}K_n)}{n}$$
(1)

where, λ_{max} =Criterion Average Value; K=Criteria; n=Number of Criteria.

b. Find the Consistency Index (CI) value with the formula:

$$CI = \frac{(\lambda_{max} - n)}{(n-1)} \tag{2}$$

where, *CI*=Consistency Index; λ_{max} =Criterion Average Value; *n*=Number of Criter 2.

c. Calculate the Consistency Ratio (CR) value with the formula:

$$CR = \frac{CI}{RI}$$
(3)

where, *CR*=Consistency Ratio; *CI*=Consistency Index; *RI* 15 andom Index.

 \overline{RI} is a random consistency number, where the amount is adjusted to the size of the matrix according to the provisions used. If CR>0.1 then the matrix value is inconsistent and must be revised, if it is consistent then continue.

3. RESULTS AND DISCUSSIONS

3.1 Types of MPTS plants developed in community forest areas

There are three groups of plant species in the HKm area of North Batukliang, namely: timber, MPTS and seasonal crops. Types of timber include: mahogany, randu, sengon, agarwood, albalsiah, rajumas, banyan, dadap, agarwood, and jowet. The types of MPTS plants include: durian, banana, coffee, jackfruit, avocado, cocoa, rambutan, mangosteen, mango, melinjo, kepundung, and others. The types and numbers of seasonal crops are very limited, namely taro, sweet potato, and several types of horticultural crops such as chili and long beans. These annual crops only planted in a few places that are hollow between MPTS plants.

Table 1. Paired comparison scale in element assessment of a hierarchy

Value	Information
1	Comparable criteria/alternatives (e.g. A & B) are "equally important"
3	Criterion/alternative A "slightly more important" than B
5	Criterion/alternative A "clearly more important" than B
7	Criterion/alternative A is "very clearly more important" than B
9	Criterion/alternative A is "absolutely more important" than B
2, 4, 6, 8	When in doubt between two adjacent values

The three types of plants (timber, MPTS and seasonal crops) are in a mixed manner in the HKM area, not planted in separate areas. In terms of plant composition, it appears that the most dominant (more than 90%) are MPTS plants. In other words, smallholders prefer to plant multipurpose crops compared to woody plants. Thus, the composition of MPTS dan woody plants developed by HKm managers does not comply with the provisions on the ratio between wood and MPTS plants, which is 70:30 (wood: MPTS plants). This phenomenon is also found in various places in Indonesia, with the reason that it guarantees more income security for farming households [19, 34-37].

Farmers as HKm managers get economic benefits from the MPTS plants. From the average HKm area managed of 0.614 ha, farmers earn an income of Rp 26,161,667 per year or Rp 2,180,139 per month. Based on several previous studies, the economic contribution of HKm or other social forestry is quite important for increasing household income and farmers' welfare [2, 34, 38-48].

3.2 Priority of MPTS featured plants in the community forest area (HKm) in north Batukliang, central Lombok

Community forest (HKm) is a forest management system aimed to support the life and welfare of the community without reducing the main functions of the forest due to the reciprocal use of the forest and the community. Therefore, the development of MPTS plants in HKm area must consider the ecological and economic aspects comprehensively. In this study, the determination of priority MPTS featured plants in the North Batukliang HKm area, Central Lombok Regency was carried out using a Process Hierarchy Analysis (AHP) approach. The criteria used as the basis for selecting priority MPTS plants are: (1) economic benefits, (2) waiting period to start production, (3) ease of maintenance, (4) market opportunities, (5) negative effect on under-stand plants, (6) resistance to disease, and (7) length of productive period.

The seven criteria above have different weights depending on the urgency and the assessment was conducted by competent experts. The weight value 12 he criteria is indicated by the eigenvalues obtained from the results of the AHP analysis. The results of the analysis show that of the seven criteria that are used as the basis for consideration in determining priority superior MPTS plants, the criterion that has the highest weight is the economic benefit obtained, with an eigenvalue of 0.429 (42.9%). The second criterion taken into consideration in the development of MPTS plants is market opportunity with an eigenvalue of 0.224 (22.4%). The next criteria in a row according to the magnitude of the eigenvalues are: the waiting period to start production with an eigenvalue of 0.107 (10.7%), the length of the productive period with an eigenvalue of 0.107 (10.7%), easy maintenance with an eigenvalue of 0.061 (6.1%), disease resistance with an eigenvalue of 0.037 (3.7%), and a negative effect on plants under stands with an eigenvalue of 0.036 (3.6%).

Based on the seven criteria above, the priority MPTS plants are obtained, either partially based on each criterion or comprehensively based on the overall criteria that have been set (Table 2).

Based on the results of AHP analysis on the basis of comprehensive consideration of the seven criteria, it can be determined the order of priority for MPTS plants that can be suggested in the North Batukliang HKm area, Central Lombok Regency. The determination of this priority order is based on the eigenvalues as the results of the AHP analysis are presented in Table 2, which are: durian, banana, coffee, cocoa, avocado, jackfruit, rambutan, and mangosteen, respectively, (Figure 2 and Figure 3).

It can also be seen from Table 2 that the order of priority MPTS plants on each criterion partially is as follows:

(1) Criteria for market opportunities; namely the demand or marketing opportunities for MPTS commodities both locally and nationally that are available. Based on these criteria, the order of priority is: durian, cocoa, avocado, coffee; banana, jackfruit, rambutan, mangosteen.

(2) Criteria for economic benefits; namely the income obtained from the production of MPTS. Based on these criteria, the order of priority is: durian, banana, coffee, cocoa, avocado, rambutan, jackfruit, mangosteen.

(3) The criteria for the waiting period to start production; namely the length of time waiting for MPTS plants to start producing. In this case, the sooner the production starts, the higher the score. Based on these criteria, the order of priority is: banana, coffee, rambutan, jackfruit, cocoa, avocado, mangosteen, durian.

(4) Criteria for disease resistance; namely the strength of MPTS plant resistance to pests and diseases. Based on these criteria, the order of priority is: mangosteen, avocado, banana, rambutan, coffee, durian, jackfruit, cocoa.

(5) Criteria for negative influence on under-stand plants; namely the negative influence of MPTS plants on other plants. In this case the greater the negative effect, the smaller the score. Based on these criteria, the order of priority is: avocado, rambutan, banana, durian, mangosteen, coffee, jackfruit, cocoa.

Table 2. Eigen value of each cri	terion for each	MPTS plant
----------------------------------	-----------------	------------

No	Criterion	Eigen Value of Each MPTS Croptas								
INO		Coffee	Rambutan	Jackfruit	Alpukat	Mangosteen	Banana	Cocoa	Durian	Model
1	Market opportunities	0.135	0.074	0.074	0.135	0.044	0.074	0.135	0.329	0.224
2	Economic benefits	0.149	0.034	0.034	0.051	0.023	0.214	0.104	0.391	0.429
3	Waiting period begins production	0.164	0.164	0.102	0.067	0.025	0.351	0.102	0.025	0.107
4	Resistance to disease	0.087	0.106	0.078	0.162	0.268	0.162	0.049	0.087	0.037
5	Negative influence on another plan	0.062	0.164	0.039	0.270	0.098	0.164	0.039	0.164	0.036
6	Ease of maintenance	0.035	0.145	0.239	0.145	0.088	0.239	0.054	0.054	0.061
7	Long productive period	0.038	0.057	0.212	0.092	0.092	0.026	0.092	0.392	0.107
	Result	0.123	0.073	0.083	0.051	0.051	0.175	0.102	0.298	

(6) Criteria for ease of maintenance; namely MPTS plant care, where the easier it is to maintain, the higher the score. Based on these criteria, the order of priority is: jackfruit, banana, rambutan, avocado, mangosteen, durian, cocoa, coffee.

(7) Criteria for length of productive period; namely the length of the productive period of the MPTS plant from the time it started producing until the crop was unable to produce. Based on these criteria, the order of priority is: durian, jackfruit, avocado, mangosteen, cocoa, rambutan, coffee, banana.



Figure 2. AHP results selection of priority featured MPTS plants




Figure 3. Contribution of each criterion to each MPTS plant priority excellence

4. CONCLUSIONS AND SUGGESTIONS

4.1 Conclusion

(1) The dominant types of MPTS plants developed by the community in the HKm area of North Batukliang, Central Lombok are: Durian, Banana, Coffee, Cocoa, Jackfruit, Rambutan, Avocado, Mangosteen.

(2) Based on the seven criteria comprehensively, the priority order of MPTS featred plants that can be developed in HKm Batukliang Utara, Central Lombok Regency can be determined, as follows: durian, banana, coffee, cocoa, avocado, jackfruit, rambutan, and mangosteen.

4.2 Suggestions

11

Based on the results of the study and findings in the field, in order to optimize the management of HKm and the economic benefits of the area, it is recommended that the government or other parties support the procurement of quality plant seeds, especially for the five priority MPTS plant types.

REFERENCES

- Abdurrahim, A.Y. (2015). Skema hutan kemasyarakatan (HKm) kolaboratif sebagai solusi penyelesaian konflik pengelolaan SDA di Hutan Sesaot, Lombok Barat. Sodality: Jurnal Sosiologi Pedesaan, 3(3): 91-100.
- Beukeboom, H.J., Van der Laan, C., Van Kreveld, A., Akwah, G. (2010). Can community forestry contribute to livelihood improvement and biodiversity? Netherlands.
- [3] Wibowo, E.A., Efendi, Y., Yana, S., et al. (2016). Isu Dan Masalah Lingkungan Hidup (Pertama; A.P. Nasution, Ed.).
- [4] Siregar, C.A., Harianja, A.H., Dalilah, D., Cahyono, S., Ulfah, S. (2019). Distribusi tanaman dan nilai ekonomi hutan kemasyarakatan di kecamatan batukliang utara kabupaten lombok tengah (Plant distribution and economic value of community forests in north batukliang sub-district, central lombok regency). Jurnal Penelitian Hutan Tanaman, 16(2): 115-132.
- [5] Cardozo, E.G., Muchavisoy, H.M., Silva, H.R., Zelarayán, M.L.C., Leite, M.F.A., Rousseau, G.X., Gehring, C. (2015). Species richness increases income in agroforestry systems of Eastern Amazonia. Agroforestry Systems, 89(5): 901-916. https://doi.org/10.1007/s10457-015-9823-9
- [6] Cerda, R., Deheuvels, O., Calvache, D., Niehaus, L., Saenz, Y., Kent, J., Vilchez, S., Villota, A., Martinez, C., Somarriba, E. (2014). Contribution of cocoa agroforestry systems to family income and domestic consumption: looking toward intensification. Agroforestry Systems, 88(6): 957-981. https://doi.org/10.1007/s10457-014-9691-8
- [7] Nandini, R. (2013). Evaluasi pengelolaan Hutan Kemasyarakatan (HKm) pada hutan produksi dan hutan Lindung di Pulau Lombok. Jurnal Penelitian Hutan Tanaman, 10(1): 43-55.
- [8] Munggoro, D.M., Widicahyono, A. (2001). Hutan kemasyarakatan. Prinsip, Kreteria dan Indikator. Pustaka Latin. Bogor.
- [9] Yakin, A., Malik, S., Yusuf, M., Husni, S. (2019). Dampak hutan kemasyarakatan terhadap pengentasan kemiskinan rumahtangga sekitar hutan di kecamatan batukliang utara kabupaten lombok tengah. Jurnal Agrimansion, 20(1): 19-30. https://doi.org/10.29303/agrimansion.v20i1.259
- [10] Sukardi, L., Darusman, D., Sundawati, L., Hardjanto, H. (2009). 3. Persepsi dan partisipasi masyarakat lokal dalam pengelolaan taman nasional gunung rinjani pulau lombok. Jurnal Agrimansion, 10(1): 23-36. https://doi.org/10.29303/agrimansion.v10i1.213
- [11] Sukardi, L., Sjah, T., Dipokusumo, B. (2021). Spatial characteristics of maize development and competitive profit in west Lombok regency, Indonesia. In IOP Conference Series: Earth and Environmental Science, 681(1): 012061. https://doi.org/10.1088/1755-1315/681/1/012061
- [12] Samad, S. (2012). Efektivitas Program Hutan Kemasyarakatan di Pulau Lombok Provinsi Nusa Tenggara Barat [Thesis]. Program Pascasarjana Universitas Mataram.
- [13] Amalia, R.N., Afiff, S.A. (2017). Dinamika keberlangsungan kelompok pengusul HKm Sepakat, Pangkalan Bun, Kalimantan Tengah. Jurnal Ilmu Sosial Mamangan, 6(1): 1-10.

- [14] Chomba, S.W., Nathan, I., Minang, P.A., Sinclair, F. (2015). Illusions of empowerment? Questioning policy and practice of community forestry in Kenya. Ecology and Society, 20(3): 11. https://doi.org/10.5751/ES-07741-200302
- [15] Gamin, G., Kartodihardjo, H., Kolopaking, L.M., Boer, R. (2014). Menyelesaikan konflik penguasaan kawasan hutan melalui pendekatan gaya sengketa para pihak di Kesatuan Pengelolaan Hutan Lakitan. Jurnal Analisis Kebijakan Kehutanan, 11(1): 71-90. https://doi.org/10.20886/jakk.2014.11.1.71-90
- [16] Ingram, V. (2017). Changing governance arrangements: NTFP value chains in the Congo Basin. International Forestry Review, 19(1): 152-169. https://doi.org/10.1505/146554817822407394
- [17] Kaskoyo, H., Mohammed, A.J., Inoue, M. (2014). Present state of community forestry (Hutan Kemasyarakatan/HKm) program in a protection forest and its challenges: Case study in Lampung Province, Indonesia. Journal of Forest and Environmental Science, 30(1): 15-29. https://doi.org/10.7747/JFS.2014.30.1.15
- [18] Nguyen, H., Herbohn, J., Clendenning, J., Lamb, D., Dressler, W., Vanclay, J., Firn, J. (2015). What is the available evidence concerning relative performance of different designs of mixed-species plantings for smallholder and community forestry in the tropics? A systematic map protocol. Environmental Evidence, 4(1): 15. https://doi.org/10.1186/s13750-015-0041-8
- [19] Peters, C.M. (2016). Community forestry and sustainability research at the New York Botanical Garden. Brittonia, 68(3): 290-298. https://doi.org/10.1007/s12228-016-9420-x
- [20] Rasolofoson, R.A., Ferraro, P.J., Ruta, G., Rasamoelina, M.S., Randriankolona, P.L., Larsen, H.O., Jones, J.P.G. (2017). Impacts of community forest management on human economic well-being across Madagascar. Conservation Letters, 10(3): 346-353. https://doi.org/10.1111/conl.12272
- [21] Reed, J., Vianen, J. Van, Barlow, J., Sunderland, T. (2017). Land use policy have integrated landscape approaches reconciled societal and environmental issues in the tropics? Land Use Policy, 63: 481-492.
- [22] Sanudin, S., Sadono, R., Purwanto, R.H. (2016). Perkembangan hutan kemasyarakatan di Provinsi Lampung (Progress of community forest in Lampung Province). Jurnal Manusia dan Lingkungan, 23(2): 276-283.
- [23] Syahadat, E., Suryandari, E.Y. (2016). Pola tata hubungan kerja dalam pembangunan Hutan Kemasyarakatan. Jurnal Analisis Kebijakan Kehutanan, 13(2): 127-145. https://doi.org/https://doi.org/10.2088
- [24] Sukardi, L. (2009). Desain model pemberdayaan masyarakat lokal dalam pengelolaan hutan berkelanjutan (Kasus masyarakat sekitar kawasan hutan taman nasional gunung rinjani pulau lombok) [Disertasi]. Sekolah Pascasarjana, Institut Pertanian Bogor. Bogor.
- [25] Sukardi, L., Ichsan, A.C., Febryano, I.G., Idris, M.H., Dipokusumo, B. (2021). Analysis of community selfassistance level in water resources conservation in the upper areas of Renggung watershed Lombok Island. International Journal of Design & Nature and Ecodynamics, 16(4): 387-392. https://doi.org/10.18280/ijdne.160405

- [26] Nazir, M. (2017). Metode Penelitian. GhaliaIndonesia, Cetakan ke-11. Bogor. https://elibrary.bsi.ac.id/readbook/200008/metodepenelitian.html.
- [27] Marimin. (2004). Pengambilan Keputusan Kreteria Majemuk. Teknik dan Aplikasi. Jakarta: PT. Gramedia Widiasarana Indonesia. https://www.researchgate.net/publication/276270264_T EKNIK_DAN_APLIKASI_PENGAMBILAN_KEPUT USAN_KRITERIA_MAJEMUK.
- [28] Saaty, T.L. (1993). Pengambilan keputusan bagi para pemimpin, proses hirarki analitik untuk pengambilan keputusan dalam situasi yang kompleks. Pustaka binama pressindo, 100. https://onesearch.id/Record/IOS7783.ai:slims-17184.
- [29] Purba, S.A., Amna H., dan Ida Ayu, M.T. (2015). Pemilihan prioritas tanamantas agrowisata menggunakan metode analytical hierarchy process (AHP) di Desa Candikuning II, Kec. Baturiti, Kab. Tabanan. Jumal Rekayasa dan Manajemen Agroindustri, 3(1): 82-92.
- [30] Wati, M., Maulana, A., Widians, J. A. (2020). Sistem pendukung keputusan pemilihan tumbuhan berkhasiat obat menggunakan metode analytical hierarchy processweighted product. ILKOM Jurnal Ilmiah, 12(3): 219-227. http://dx.doi.org/10.33096/ilkom.v12i3.671.219-227
- [31] Mala, N.M., Muhibuddin, A., Sifaunajah, A. (2018). Sistem pendukung keputusan pemilihan penggunaan jenis tanaman dengan metode analytic hierarchy process (AHP). Saintekbu, 10(1): 64-74. http://dx.doi.org/10.32764/saintekbu.v10i1.163
- [32] Syaputra, A. (2021). Kombinasi metode AHP dan TOPSIS dalam pemilihan bibit sayuran berdasarkan kondisi tanah dan syarat tumbuh tanaman. Jurnal Ilmiah Informatika, 6(1): 11-19. https://doi.org/10.35316/jimi.v6i1.1232
- [33] Ahdan, Marhawati Mappatoba dan Suparman, (2015). Analisis penentuan tanamantas unggulan sektor pertanian Di kabupaten tolitoli. E-Jurnal Katalogis, 3(10): 155-166.
- [34] Blare, T., Useche, P. (2015). Is there a choice? Choice experiment to determine the value men and women place on cacao agroforests in Coastal. https://doi.org/10.1505/146554815816 086390
- [35] Pandit, B.H., Neupane, R.P., Sitaula, B.K., Bajracharya, R.M. (2013). Contribution of small-scale agroforestry systems to carbon pools and fluxes: A case study from Middle Hills of Nepal. Small-Scale Forestry, 12(3): 475-487. https://doi.org/10.1007/s11842-012-9224-0
- [36] Sikor, T., Gritten, D., Atkinson, J., et al. (2013). Community Forestry in Asia and the Pacific: Pathway to Inclusive Development (1st ed.). Bangkok.
- [37] Susanto, A., Triyono, J. (2016). Cluster model of agroforestry land use to support food sustainability. Current Agriculture Research Journal, 4(2): 143-147. https://doi.org/10.12944/CARJ.4.2.03
- [38] Kachova, V., Hinkov, G., Popov, E., Trichkov, L., Mosquoera-Losada, R. (2016). Agroforestry in Bulgaria: History, presence status and prospects. Agroforestry System, 92(3): 655-665. https://doi.org/10.1007/s10457-016-0029-6
- [39] Kakhobwe, C.M., Kamoto, J.F., Njoloma, J.P., Ozor, N. (2016). Scaling up agroforestry farming systems: lessons from the Malawi agroforestry extension project. Journal

of Agricultural Extension, 20(1): 153-162. https://doi.org/10.4314/jae.v20i1.13

- [40] Kassa, G. (2015). Profitability analysis and determinants of fruit tree based agroforestry system in Wondo District, Ethiopia. African Journal of Agricultural Research, 10(11): 1273-1280. https://doi.org/10.5897/AJAR2014.9272
- [41] Suyanto, Hafizianor, Nugroho, Y. (2009). Inventarisasi Jenis - Jenis Pohon Bermanfaat Ganda Unggulan Lokal (Multi Purpose Tree Species) Berdasarkan Kondisi Ekologisnya dalam Rangka Upaya Rehabilitasi Lahan Kritis di Kabupaten Banjar. Jurnal Hutan Tropis Borneo, 26: 110-118.
- [42] Mukhtar. (2010). Pengelolaan program hutan kemasyarakatan berbasis kearifan lokal: Studi kasus di kawasan hutan lindung sesaot lombok barat. Jurnal Wacana, 13(1): 132-151.
- [43] Sari, Y., Senoaji, G., Suhartoyo, H. (2019). Efektivitas program perhutanan sosial dalam bentuk hutan kemasyarakatan (Hkm) di desa tanjung alam kabupaten kepahiang provinsi bengkulu. Naturalis: Jurnal Penelitian Pengelolaan Sumber Daya Alam dan Lingkungan, 8(1): 87-98.
- [44] Yuwono, S.B., Hilmanto, R. (2015). Pengelolaan hutan rakyat oleh kelompok pemilik hutan rakyat di desa

bandar dalam kecamatan sidomulyo kabupaten lampung selatan. Jurnal Sylva Lestari, 3(2): 99-112.

- [45] Wanderi, W., Qurniati, R., Kaskoyo, H. (2019). Kontribusi tanaman agroforestri terhadap pendapatan dan kesejahteraan petani. Jurnal Sylva Lestari, 7(1): 118-127. http://dx.doi.org/10.23960/js117118-127
- [46] Suseno, A., Sutrisno, S. (2019). Penerapan analitycal hirarchi process (AHP) dalam sistem penilaian kinerja karyawan sebagai acuan untuk promosi jabatan Di PT. XYZ. Jurnal Media Teknik Dan Sistem Industri, 3(2): 73-80. https://doi.org/10.35194/jmtsi.v3i2.543
- [47] Idris, M.H., Latifah, S., Setiawan, B., Aji, I.M.L., Sari, D.P. (2021). Vegetation and soil carbon under various forest management types: Case of Karang Sidemen community forest in Lombok, Eastern Indonesia. International Journal of Design & Nature and Ecodynamics, 16(6): 641-648. https://doi.org/10.18280/ijdne.160604
- [48] Golar, G., Muis, H., Massiri, S.D., Rahman, A., Maiwa, A., Pratama, F., Baharuddin, R.F., Simorangkir, W.S. (2021). Can forest management units improve community access to the forest? International Journal of Design & Nature and Ecodynamics, 16(5): 565-571. https://doi.org/10.18280/ijdne.160511

Sukardi_IJDNE-2022_Determination_og_Type_MPTS.pdf

ORIGINALITY REPORT				
7% SIMILARITY INDEX	% INTERNET SOURCES	7% PUBLICATIONS	% STUDENT PAPERS	
PRIMARY SOURCES				
"Spatial and cor regency	di, T Sjah, B Dipo characteristics npetitive profit i /, Indonesia'', IOI nd Environment	of maize deve n west Lombo P Conference S	lopment k Series:	1 %
Kaskoyo Value fo IOP Cor	y Pratama, Rahn o, Indra Gumay l or Health Status: nference Series: mental Science,	Febryano. "Fo An Ecological Earth and	restry	1 %
Constru Security	, Yang Wang. "T uction Project Sa / System Based ehensive Evaluat	fety Managen on the Fuzzy	nent	1 %
	laulidina Kelana	Durnawarma	n Musa	1

4 Nurul Maulidina Kelana, Purnawarman Musa, Amri Dunan. "Challenge handling flood disaster by recommendation system with

1%

Analytical Hierarchy Process Methods", 2021 2nd International Conference on ICT for Rural Development (IC-ICTRuDev), 2021 Publication

5

Wiwik Utami, Lucky Nugroho, Kelum Jayasinghe. "Carbon Credit Risk Mitigation of Deforestation: A Study on the Performance of P2H Products and Services in Indonesia", International Journal of Financial Research, 2021 Publication

6 Muhamad Husni Idris, Sitti Latifah, Budhy Setiawan, Irwan Mahakam Lesmono Aji, Diah Permata Sari. "Vegetation and Soil Carbon under Various Forest Management Types: Case of Karang Sidemen Community Forest in Lombok, Eastern Indonesia", International Journal of Design & Nature and Ecodynamics, 2021 Publication

- J.F. Esquivel-Upshaw, F. Ren, S.M. Hsu, F.Y.
 Dieng, D. Neal, A.E. Clark. "Novel Testing for Corrosion of Glass-Ceramics for Dental Applications", Journal of Dental Research, 2017 Publication
- 8 Aida Afshar Nia, Navid Shabanikia, S. Ali Khajehoddin. "Weighted Dynamic Aggregation

<1%

<1 %

1%

Modeling of DC Microgrid Converters with Droop Control", 2021 IEEE Energy Conversion Congress and Exposition (ECCE), 2021 Publication

<1%

9

Umi Barokah, Rhina Uchyani Fajarningsih,
Wiwit Rahayu. "Sustainability of Maize
Farming in Grobogan, Central Java.
Indonesia", IOP Conference Series: Earth and
Environmental Science, 2019
Publication

- 2aid aldeek. "Towards sustainable landscape irrigation using novel design of water collecting systems from atmospheric humidity condensation", Research Square Platform LLC, 2021 Publication
- Endah Saptutyningsih, Taufiq Waisy Alqharni. "Assessing economic value of community forestry for sustainable rural development", E3S Web of Conferences, 2021 Publication
- Priyono Suryanto. "Exploring the Potential of Silviculture Agroforestry Regime as a Compatible Management in Southern Gunung Merapi National Park, Java, Indonesia", Journal of Sustainable Development, 06/02/2011 Publication

13	Andi Nurindah, Syamsu Alam, Adrayanti Sabar. "Community social capital in community forest management in Pinang Village, Cendana District, Enrekang Regency", IOP Conference Series: Earth and Environmental Science, 2021 Publication	<1%
14	Hairil Anwar, R Agus Budi Santosa. "Rinjani- Lombok Biosphere Reserve And Public Welfare Improvement", IOP Conference Series: Earth and Environmental Science, 2019 Publication	<1%
15	Meraty Ramadhini, Arnold Rikardo Sihombing. "Determination of the Best Location for Freshwater Fish Ponds in South Aceh Districts by Using Multi Criteria Analysis", IOP Conference Series: Materials Science and Engineering, 2019 Publication	<1%

Off

Exclude quotes	On	Exclude matches
Exclude bibliography	On	