# **Proceedings** International Conference on Science and Technology (ICST)

Vol. 1, Juni 2020



Organized by Institute for Research and Community Services University of Mataram, Indonesia

#### **Organized by Institute for Research and Community Services**



## Proceeding of International Conference Science and Technology (ICST)

HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCEMENTS		OPEN JOURNAL SYSTEMS
Home > Archives > Vol 1 (2020)		Journal Help
Vol 1 (2020)	USER Username	
Proceedings International Conference on Science and Technology (ICST)		Password
Table of Contents		Login
Articles		NOTIFICATIONS
<u>Screening Of Phytase - Producing Bacteria As Probiotic Candidates Of Poultry</u> Muh. Aidil Fitriyan Fadiar Survadi. Anwar Rosvidi. Muhamad Ali	PDF 1-8	• <u>Subscribe</u>
Organic and Bio-fertilizer Application to Increase Yield of Black Rice under Aerobic Irrigation System and Intercropping with Peanut	<u>PDF</u> 9-15	JOURNAL CONTENT Search
Wayan Wangiyana, I Ketut Ngawit, Ninia Fanda, Ni Wayan Dwiani Dulur, Siti Zainab Design and Simulation PD Descriptor Observed-Fault Based Detection and Isolation Using Computed Torque	PDF	Search Scope
<u>Control Law on Robot Manipulator Puma 560 6-DOF</u> Titi Andriani, Muhammad Hidayatullah, Shinta Esabella	16-25	Search
<u>Received Signal Strength of WIFI Devices for Indoor Positioning Using Neural Network LVQ Method</u> Muhammad Yusuf Yahya, Misbahuddin Misbahuddin, Giri Wahyu Wiriasto	26-31	Browse • <u>By Issue</u>
<u>The Approach of Soil Parameter Factors and Vehicle Axle Load in Road Damage Handling Post-Earthquake SR 7.0</u> <u>at North Lombok Regency</u> I Wayan Suteja, I A O Suwati Sideman, I D G Wira Pariangga	<u>PDF</u> 32-41	• <u>By Autnor</u> • <u>By Title</u> • <u>Other Journals</u>
Survey of Geothermal Energy Potential using Geomagnetic Method in Sembalun Timba Gading, Lombok Hasmil Hadi, Teti Zubaidah, Ida Ayu Sri Adnyani, Paniran Paniran, Bulkis Kanata, Dwi Ratnasari	42-47	FONT SIZE
Stability and insulation of sandwich reinforced concrete slab with lightweight concrete core under flexural loading exposed to fire Not fire the stability of t	<u>PDF</u> 48-57	INFORMATION
Detection of Sugar Content in Mango Fruit using Coaxial Cavity Resonator Cahyo Mustiko Okta Muvianto, Kurniawan Yuniarto, Suthami Ariessaputra, Budi Darmawan, Made Yadnya, A Rachman	<u>PDF</u> 58-65	For Readers For Authors For Librarians
<u>CFD Simulation of Velocity Effect on Flow Characteristic of Biofluid in Microchannel Permeable Membrane</u> Nur Kaliwantoro, IGNK Yudhayadi, Feri Fadli, I Kade Wiratama, Sujita Darmo	PDF 66-72	
Effectiveness of Aromatherapy for the Fulfillment of Sleep Quantity of Cancer Patients in West Nusa Tenggara <u>Provincial General Hospital</u> Masadah Masadah, Sitti Rusdianah	<u>PDF</u> 73-78	
Performance Improvement of Grid Tie Inverter on Microgrid of Solar Photovoltaic Abdul Natsir, Supriyatna Supriyatna, Ni Made Seniari, Ida Ayu Sri Adnyani, Sabar Nababan	<u>PDF</u> 79-87	
Profile of Glucose, Lipid, Blood Pressure and Its Association With Cardiovascular Diseases at The Community Health Centers in Bima City, Indonesia Martiningsih Martiningsih, Dahlan Dahlan, Indra Rahmad, Sitti Rusdianah, Nurul Inayati	89-98	
<u>Strengthening the Mechanical Properties of Polyester Composites by Pineapple Leaves Fiber</u> Dian W. Kurniawidi, Lina Handayani, Siti Alaa, Marzuki Marzuki	99-103	
The effects of continuously high temperatures on apical development and yield of four varieties of wheat Akhmad Zubaldi	105-109	
Analysis of Wood Pellet Quality from Calliandra Callothyrsus, Gliricida Sepium, and Sawdust as New and Renewable Energy Susi Rahayu, Sitti Hilyana, Embun Suryani, Nazmi Herlina Sari, Muhamad Ali	PDF 110-115	
Identification of Seismic Vulnerability Using Microtremor Data in Lingsar District West Lombok Regency Romi Mirajullayli, Syamsuddin Syamsuddin, Suhayat Minardi	<u>PDF</u> 116-122	
<u>Viability Of Bacteria Used In Production Of Synbiotics For Laying Hens</u> Khairil Anwar, Anwar Rosyldi, Muhamad Ali	<u>PDF</u> 123-128	
<u>The Investigation of Submerged Breakwater Influence on Its Coastal Profile Behind</u> Eko Pradjoko, Nurwahyu Hidayati, Agus Suroso, Baiq Dewi Suci Rukminingsih	PDF 129-134	
<u>Effect of Feeding Batacomplete Feed Block on Body Weight of Etawah Grade Dairy Goats in Sejati Farm</u> Muhammad Amin, Muhammad Prasetyo Nugroho, Chairussyuhur Arman	PDF 135-138	
Design and Analysis Bio-composite Material for Mono Leaf Spring using Finite Element Method Amirin Kusmiran, Rita Desiasni, Muhamad Hidayat	<u>PDF</u> 139-148	
<u>The Degree, Radius, and Diameter of Coprime Graph of Dihedral Group</u> Abdul Gazir S, I Gede Adhitya Wisnu Wardhana, Ni Wayan Switrayni	149-154	
<u>Analysis Chemistry Science Literacy Abilities Of High School Students In Mataram</u> Rabiatul Adawiyah, Yayuk Andayani, Agus Abhi Purwoko	PDF 156-162	
Direct Measurement of Strength Signal 4G for Simulation Best Service Coverage BTS (Base Transceiver Station) Made Sutha Yadnya, I Wayan Sudiarta	PDF 163-166	
<u>Drug Abuse Patterns and Their Manifestations Toward Teenager Behavior: Phenomenon of Teenagers Lifestyle</u> <u>Behavior in Bima</u> Ade Wulandari	167-172	
<u>Analysis of Coliform Bacteria As A Water Pollution Indicator In Unus River</u> J. Ani Safitri, Khairuddin Khairuddin, DAC Rasmi	<u>PDF</u> 173-182	
<u>Mapping of Magnetic Flux Density on Mini Magneto-static Flux Manipulator</u> Ishfa Kautsari Puteri Suryani, Teti Zubaidah, Ida Bagus Fery Citarsa, Bulkis Kanata, Paniran Paniran	183-187	
<u>Hypertension Risk Factor Characteristics in the City of Mataram and Surabaya</u> Ridawati Sulaeman, Dewi Purnamawati, Jujuk Proboningsih, Rusmini Rusmini	188-192	
<u>Designing A Nonparametric Kernel Regression Package In Python Programming Language</u> Lalu Abd Azis Mursy, Mustika Hadijati, Irwansyah Irwansyah	<u>PDF</u> 193-197	
Design and Build an Android-Based Digital Academic Guidebook Application at Universitas Teknologi Sumbawa Shinta Esabella, Muhammad Hidayatullah, Titi Andriani, Ficky Fahruddin	198-208	
Some Characteristics of Prime Submodules of Gaussian Integer Modulo over Integer Rina Juliana, I Gede Adhitya Wisnu Wardhana, Irwansyah Irwansyah	209-213	
<u>Preconcentration of mercury anorganic by reducting ion Hg2+ to Hg0 using copper</u> Lale Budi Kusuma Dewi, Ida Bagus Rai Wiadnya	214-218	

Improving The Accuracy of Face Recognition Using Residual Network (Resnet) Muhammad Sya'roni Mujahidin, Misbahuddin Misbahuddin, Bulkis Kanata	219-223
<u>The Effect of Transformer Models in Three Phase Power Flow Study</u> Agung Budi Muljono, Yuda Pratama Putra Kesawa, I Made Ari Nrartha	224-232
<u>Multiple Character Modification for Huffman Algorithm</u> Wilham Reyssan, Budi Irmawati, Fitri Bimantoro	233-239
<u>The Effect Of Scientific Attitude And Motivation To Learn The Creative Thinking Skills Of SMA/MA Student In</u> <u>Montong Gading Lombok Timur</u> Laili Hidayati, Lalu Rudyat Telly Savalas, Agus Abhi Purwoko	<u>PDF</u> 240-248
<u>Interpretation of Subsurface Based on Magnetic Data in the Geothermal Prospect Area of Sembalun Lawang,</u> <u>Lombok</u> Haquilah Nur Ukassyah, Paniran Paniran, Teti Zubaidah, Cipta Ramadhani, Rosmaliati Rosmaliati, Misbahuddin Misbahuddin	<u>PDF</u> 249-254
<u>The Handling of Missing Data At Nurul Bayan Geomagnetic Station, Lombok</u> Khairunnas Khairunnas, Budi Irmawati, Teti Zubaidah, Bulkis Kanata, Arik Aranta, Dwi Ratnasari	255-260
<u>Correlation of Geomagnetic Signal for Earthquake Studies in 2016-2017 between Indonesian, Australian and Guam</u> Kenya Damayanti P, Bulkis Kanata, Teti Zubaidah, Abdullah Zainuddin, Made Sutha Yadnya	261-266
<u>Mechanical Properties of Cold -Formed Steel Under Tensile Testing</u> Siti Nur Rahmah Anwar, Buan Anshari, A. Sjamsjar Rachman, Suryawan Murtiadi, Nurchayati Nurchayati	267-270
<u>Analysis Set-Up of Blower Utilized for Wind Turbine Performance Experiment</u> I Kade Wiratama, I Gusti Ngurah Yudhiyadi, Nur Kaliwantoro	271-276
<u>Database Model to Optimize Query for Student Evaluation System</u> LAS Irfan Akbar, A Sjamsjiar Rachman, DjulFikry Budiman	277-281
Flood Early Warning System: Development and Installation of Automatic Rainfall Recorder Sasmito Soekarno, Ery Setiawan, Eko Pradjoko, Hartana Hartana	282-286
<u>The Ability of Wharton's Jelly Derived Stem Cell as Source of Mesenchymal Stem Cells</u> Ari Khusuma, Suhartiningsih Suhartiningsih, Gita Pratama	287-290
<u>Palm Print Recognition Using CANNY Edge Detection, Gray Level Co-Occurrence Matrix and Classified Using K-</u> <u>Nearest Neighbor</u> Rahayu Utari, Fitri Bimantoro, I Gede Putu Wirawan Wirarama Wedashwara	<u>PDF</u> 291-303
The Nursing Home Care Module in Improving Self Care Agency of Patient with Pulmonary Tuberculosis in the City of Bima, West Nusa Tenggara Muhtar Muhtar, Aan Dwi Sentana	<u>PDF</u> 304-311
<u>Suitability and Carrying Capacity of Utilization in Gitanada Protected Area</u> Sitti Hilyana, Sadikin Amir, Nurliah Nurliah, Soraya Gigentika, Alfian Pujian Hadi	<u>PDF</u> 312-319
<u>Earthquakes and tsunamis in Lombok, NTB: from hazard assessment to crisis management</u> Lavigne F, Jean V, Suwardji Suwardji, Kusnadi Kusnadi, Edong Edong, Hiden Hiden, Syamsuddin Syamsuddin, Reghezza-Zitt M, Mutaqin B, Malawani M.N	<u>PDF</u> 320-326
<u>Spatiotemporal Predation Pattern of The Loggerhead Nests on Dalyan Iztuzu Beach Turkey</u> Muhamad Soimin, Ayfer Sirin, Doğan Sozbilen, Eyup Baskale, Yakup Kaska	227-340

Proceedings International Conference on Science and Technology (ICST)

Organized by Institute for Research and Community Services University of Mataram, Indonesia

#### **Proceedings International Conference on Science and Technology (ICST)**

e-ISSN: 2722-7375

pp: 110-115, Vol. 1, Juni 2020

### Analysis of Wood Pellet Quality from Calliandra Callothyrsus, Gliricida Sepium, and Sawdust as New and Renewable Energy

#### Susi Rahayu<sup>1\*)</sup>, Sitti Hilyana<sup>2</sup>, Embun Suryani<sup>3</sup>, Nazmi H. Sari<sup>4</sup>, Muhamad Ali<sup>5</sup>

- <sup>1)\*</sup> Physics Department, Faculty of Mathematics and Natural Sciences, University of Mataram, susirahayu@unram.ac.id
- <sup>2)</sup> Aquaculture Department, Faculty of Agriculture, University of Mataram
- <sup>3)</sup> Management Department, Faculty of Economic and Business, University of Mataram
- <sup>4)</sup> Mechanical Engineering Department, Faculty of Engineering, University of Mataram
- <sup>5)</sup> Animan Science Department, Faculty of Engineering, University of Mataram, Jl. Majapahit No. 62 Mataram, Nusa Tenggara Barat, Indonesia, 83125.

Abstract Wood pellets are an new and renewable energy sources evolved in several developed countries such as Europe, America and Japan. Raw materials of the pellets can be obtained from various types of biomass, including agricultural waste and various types of wood. The purpose of this study is to analyze the quality of the wood pellet from Calliandra Callothyrsus, Gliricida Sepium, and sawdust waste. The pelleting method is applied in creating the pellet by utilizing a Russian-made pellet machine with a capacity of 500 kg in a day. In this case, the quality of the wood pellets is identified from physical and chemical test results. It is then adjusted to the SNI 8021-2014<sup>c</sup> standard quality. Physically, the test variables identified are pellet diameter, pellet length, L/D ratio, moisture content, particle density, bulk density, combustion rate, and calorific value. The results of pellets' physical analysis demonstrate homogeneous shapes and sizes, and the water content, density, and calorific value that have satisfied the SNI standard. In terms of calorific value, the wood pellet from Calliandra Callothyrsus provides the highest caloric with 4387 cal/g compared to the other sources. It is followed by Gliricida Sepium with 4351 cal/g. Then, Sawdust is the lowest calorie around 4206 cal/g. From the chemical point of view, the quality of the wood pellets is able to be identified due to ash content, levels of flying matter, and the amount of carbon bound based on ASTM D. 5142-02. The basic material type influences the amount of ash content in the wood pellet. The higher the ash content is, the poorer the quality of the pellet is. Meanwhile, The highest ash content is obtained in *Gliricida Sepium* which is 1.11%. This could be inversely proportional to the proportion of carbon bound. The higher the amount of carbon bound is, the higher the calorific value is. In fact, the better the quality of the wood pellet is. The highest amount of bound carbon was found in wood pellets of Calliandra Callothyrsus, which was 10.83%. Overall, the three types of the wood pellet fulfill the quality of SNI standards. However, the best quality wood pellets are wood pellets made of Calliandra Callothyrsus

Keywords: renewable energy, wood pellet, calorific value

#### 1. Introduction

An energy crisis is caused by massive use of energy. The crisis has become a threat to society because of its dependence on fossil energy for decades. Serious problems have emerged such as the depletion of petroleum reserves followed by the instability of petroleum prices and the emergence of greenhouse gas pollution. The greenhouse gas pollution causes damage to the ozone layer which has an effect on environmental damages. Currently the natural destruction is the main focus of various aspects in science areas. It is necessary to develop and implement new and renewable energy to minimize the risk level.

The alternative and sustainable energy sources attract a lot of attention from various groups. This energy is expected to be able to meet future energy needs because of its abundant availability and environmentally friendly. Renewable energy sources include biomass, solar energy, wind energy, tidal energy, ocean wave energy, and OTEC (Ocean Thermal Energy Conversion) [1]. Biomass is one of sustainable energies from biological materials or living organisms such as wood, agricultural waste, and forest residues. Wood is an alternative energy commonly used since ancient times. But the characteristics of wood are less favorable. Because, it produces a lot of smoke and ash, high water content, and low heat. To minimize these conditions, technological innovations in making wood pellets made from wood as a substitute for fuel.

Many researches have been done related to the usage of biomass as a renewable sources of energy. Among the results of research conducted by Lubis et al [2]. making wood pellets from peanut shells has a calorific value (4644 kcal / kg). This wood pellet has a higher heating value than a mixture of peanut shells and bagasse wood. The various types of wood frequently utilized as wood pellets are *Acacia wrightii* and *Ebenopsis ebano*. The usage of this wood species as an unprocessed material for pellets because it has a high density, low ash content, high heating value, and its quality meets the international standard of wood pellets [3].

The Pellet made of timber is widely used in developed countries such as Europe, America and Germany. The advantages are plentiful availability, short renewal periods, low levels of ash and toxic substances, and relatively high heating value. This is supported by research conducted by Acda and Devera [4], when wood pellets are burned producing low pollution emissions. In addition, the lumber pellets have a good quality if they are used as biofuels [5]. Therefore, it is important to identify the quality of wood pellets from various types of renewable energy sources that are environmentally friendly. The identification is carried out to optimize the benefits of wood and wood waste.

#### 2. Research Method

The fabrication of wood pellets uses several sources of biomass, including *Calliandra Callothyrsus, Gliricida Sepium*, and sawdust. Sawdust comes from wood industry residues from various types of wood. These three materials are abundant and have a short renewal period.



Figure 1. Raw materials for making wood pellets: left) *Calliandra callothyrus* trees; middle) *Gliricida sepium* trees; and right) sawdust waste

Raw materials of the wood pellet are processed utilising two machines, including the chopper and the pelleting machine. The materials in the form of wood have to be changed firstly into powder particles by applying the chopper machine. The powder is then treated using the pelleting machine (production capacity of 500 kg/day) into wood pellets. These pelleting activities are an innovation of



biomass compaction technology, where wood particles are transformed into more compact solids.

Figure 2. Wood Pellet Equipment (a) Wood Chopper Machine (b) Pelletting Machine

The wood pellets were tested for their physical and chemical properties by several methods in accordance with the desired characteristics. Physically, measurement of pellet length and diameter using the European analysis standard EN 16127: 2012, water content using ASTM D. 3173, particle density and bulk density with EN 15150: 2012 and EN 15103: 2010, and heating values using the ASTM D. test standard. 5865. Meanwhile, testing chemical properties such as ash content, levels of flying matter, and the amount of carbon bound apply the ASTM D. test standard 5142-02. Then, the results of all tests are compared with the standard SNI 8021-2014c wood pellet.

#### 3. Results and Discussion

Processing of *Calliandra Callothyrsus, Gliricida Sepium wood*, and sawdust into wood pellets was successful. Physically, the shape and size of the pellets fabricated from the three types of materials are homogeneous. The diameter and length of each pellet can be seen in table 1. In addition, each wood pellet has different color characteristics from each other (Figure 3). Where the color of wood pellets from sawdust is the darkest (dark brown), while the lightest color is *Calliandra Callothyrsus* wood (light brown). The color difference occurs due to distinctions in each element characteristic contained in the source of primal materials. The majority sources of the sawdust are identified from mahogany wood. The mahogany wood has the characteristic darkbrown.

In terms of the physical characteristics, the three varieties of wood pellets have fulfilled SNI standards (table 1). The wood pellet density test results demonstrated that the highest wood pellet density from *Calliandra Callothyrsus* wood was 1.32 g / cm3. The density rate of a substance is influenced by the kind and characteristics of the wood used [6]. Physical properties such as density, moisture content and pellet length will affect its mechanical endurance [5]. This will facilitate the handling, storage and transportation [7]. In addition, the density also has an impact on the heating value produced (Figure 4). The higher the density is, the higher the heating value is



Figure 3. Wood pellets from various types of raw materials Table 1. Test results of wood pellet physical properties

Control Variable	SNI Standard	Calliandra calothyrsus	Gliricidia sepium	Sawdust
Diameter (mm)		6,43	6,37	6,41
Lenght (mm)	-	46,5	44,9	37,4
L/D	-	7,23	7,05	5,83
■ Moisture Content (%)	Maks 12	5,13	5,62	5,23
Particle Density (g/cm <sup>3</sup> )	Min. 0,8	1,32	1,25	1,24
Bulk Density (kg/m <sup>3</sup> )	-	739,2	633,6	624
Calorific Value (Cal/g)	Min. 4000	4387	4351	4206
Combustion Rate	-	11,73	12,10	14,33
(gr/minute)				



Figure 4. Graph of relationship between particle density and wood pellet calorific value

Density is the ratio of mass per volume. The higher the density is, the denser a component is. In other words, the smaller the porosity that is formed when the density is high. So that, the amount of heat produced will also be higher because the element takes longer to burn out.

Furthermore, a chemical identification was carried out with a proximate analysis. the analysis results indicated that the lowest moisture content of wood pellets was found in *Calliandra callothyrsus*, around 5.13%. The value of water content affects the amount of smoke produced by wood pellets. The higher the water content is, the more smoke is produced [7]. The resulting smoke caused by combustion is first focused on the evaporation of water in the pellet [8]. Consequently, low water content will point to good quality wood pellets.

Control Variable	SNI Standard	Calliandra calothyrsus	Gliricidia sepium	Sawdust
Ash Content (%)	Maks. 1.5%	0.91	1.11	0.74
Volatile Matter (%)	Maks. 80%	83.13	82.96	84.39
Fix Carbon (%)	Min. 14%	10.83	10.31	9.64

Table 2. Test results of the chemical properties of wood pellets

The amount of ash contained in wood pellets also has an effect on the quality of the pellet. It is a residual combustion process that does not have carbon elements and has no heating value. The amount of ash content will affect the flying substances produced. Where the lower the ash content, the higher

the amount of flying substance in wood pellets (Table 2).

The quantity of ash, water content, and flying substances can affect the number of carbon bound to the wood pellet. The amount of carbon bound is directly proportional to the value of the heat produced (Figure 5). The higher the carbon content is bound, the higher the heat value. Bonded carbon is influenced by the number of non- carbon compounds that evaporate during the combustion process [9]. From the results of the study, the highest carbon bound in *Calliandra callothyrsus* wood was 10.83% with a total heat of 4387 cal/g.



Figure 5. Graphic Relationship between the amount of carbon bound and the caloric value of wood pellets

Overall, a heating value is greatly affected by physical and chemical properties of wood pellets. The heating value synergizes with the amount of heat produced by the material during the combustion process. In addition to the particle density, the amount of water content, ash content, and bound carbon which directly exert influence on the results of the heating value.



Figure 6. Percentage diagram of proximate analysis of three types of wood pellets

#### Acknowledgments

Thanks to the KPH Rinjani Barat and LPPM Mataram University for assisting the writer in this research and scientific publication.

#### References

- [1] Liun, E. 2011. Potensi Energi Alternatif Dalam Sistem Kelistrikan Indonesia. Prosiding Semnas Pengembangan Energi Nuklir IV. 311-322.
- [2] Lubis, A.S., Romli, M., Yani, M., & Pari, G. 2012. Mutu Biopellet dari Bagas, Kulit Kacang Tanah dan Pod Kakao. Jurnal teknologi Industri Pertanian. Vol 26(1), 77-86.
- [3] Artemio, C.P., Maginot, N.H., Serafin, C.U., Rahim, F.P., Guadalupe, R.Q.J., & Fermin, C.M. Physical, Mechanical, and Energy characterization of Wood Pellets Obtained from Three Common Tropical Spesies. PeerJ 6:e5504;DOI 10.7717/peerj.5504.
- [4] Acda, M.N., & Devara, E.E. 2014. Physico-Chemical Properties of Wood Pellets From Forest Residues. Journal of Tropical Forest Sciences 26(4), 589-595.
- [5] Cichy, W.J., Panek, A., & Radonski, D. 2014. Assessment of Mechanical Properties of Pellets Made From Wood Raw Materials. Forestry and wood technology. No. 87 : 35-39.
- [6] Arsyad, E. 2014. Sifat Fisik damn Kimia Wood Pellet dari Limbah Industri Perkayuan Sebagai Sumber Energi Alternatif. J. riset Industri Hasil Hutan. Vol.6 (1), 1-8.
- [7] Fatriani, F., Sunardi, S., Arfianti, A. 2018. Kadar Air, Kerapatan, dan Kadar Abu Wood Pellet Serbuk Gergaji Kayu Galam (Melaleuca cajuputi roxb) dan Kayu Akasia (Acacia mangium Wild). EnviroScienteae. Vol. 14(1), 77-81.
- [8] Wahyullah, W., Putra, O.K, Ismail. 2018. Pemanfaatan Biomassa Tumbuhan Menjadi Biopellet sebagai Alternatif Energi Terbarukan. Hasanuddin Student Journal. Vol. 2 (1), 239-247.
- [9] Hendra D. 2012. Rekayasa pembuatan mesin pellet kayu dan pengujian hasilnya. J Penel Hasil Hutan. 30(2): 144–154.