
Advances in
**Health
Sciences
Research**

Cell Multiplication in Platelet Rich Fibrin (PRF) and Platelet Rich Plasma (PRP) as Biofuels for Cartilage Tissue Engineering

Ahmad Taufik S^{1,2,*}, Adnanto Wiweko^{1,2}, Devi Rahmadona^{1,2}, Dyah Purnaning¹,
Mohammad Rizki^{1,2}, and Bayu Tirta Dirja^{1,2}

¹ Faculty of Medicine, University of Mataram, Indonesia

² Stem Cell and Regenerative Medicine Center, Mataram University Teaching Hospital, Indonesia

*Corresponding author. Email: taufik.unram@gmail.com

ABSTRACT

Cartilage injury remains a major orthopedic challenge due to its low repair capacity, with the tendency to cause osteoarthritis. In addition, the treatment method involving platelet rich plasma (PRP) and platelet rich fibrin (PRF) as cartilage engineering components greatly anticipates promising recovery results. This research is aimed at determining the number of cells in platelet rich plasma (PRP) and platelet rich fibrin (PRF), particularly inflammatory cells. Blood specimens were collected from 30 rabbits that were divided into three treatment groups. The samples were then processed into control, PRP and PRF. This was followed by determining the number of cells in the form of platelets, leukocytes, lymphocytes, neutrophils and monocytes. According to the blood test results, the number of platelets increased by 3.8 and 4.5-fold in the PRP and PRF groups, respectively. Furthermore, 2 times (2.1-fold) increment was observed in leukocyte concentration for PRF, but zero in PRP. Conversely, the number of lymphocytes, neutrophils and monocytes decreased to 82, 72 and 40%, correspondingly, while PRP still showed no change. Based on the overall results and discussion, the number of platelets in both PRP and PRF increased severally, while leukocyte only occurred in PRF. This multi-fold expansion accompanied by growth factors has the capacity to accelerate cartilage recovery. Furthermore, the presence of inflammatory cells enhances the healing potential already existing in PRF.

Keywords: Cartilage engineering, Platelet rich fibrin, platelet rich plasma, Growth factor

1. INTRODUCTION

Cartilage injury continues to remain a major orthopedic challenge. Low joint cartilage reparability instigates further complications, including osteoarthritis [1]. Treatment commences from a pharmacological approach, surgery and a combination with tissue engineering. Currently, the results vary depending on the severity of the injury and preferred corrective method [1,2].

Treatment with tissue engineering is widely adopted, due to its promising outcomes and is conducted by providing growth factor, scaffold and mesenchymal stem cell (MSCs) components [3]. In cartilage cases, tissue engineering using platelet rich plasma (PRP) and platelet rich fibrin (PRF) appears very predominant. This is because the PRP and PRF preparation processes

are relatively simple, safe, relatively favorable results and are also performed with minimal facilities [3,4].

PRP was initially introduced as an alternative to fibrin glue in maxillofacial surgical reconstruction where bone grafting is required. PRP also contains platelets rich in growth factors and bioactive proteins known to accelerate the healing of cartilage injury [5,6]. Meanwhile, PRF presently has a wider application for tissue regeneration in bone, muscle and cartilage. This is not only attributed to the platelet contents, but also the numerous leukocytes. The combination of platelets, leukocytes and other growth factors are believed to accelerate cartilage recovery, although PRP and PRF are obtained from the blood centrifugation process in the tube to form a layer [7].

PRP and PRF contain diverse growth factors, such as transforming growth factor (TGF- β), platelet-derived

growth factor (PDGF), vascular endothelial growth factor (VEGF), epidermal growth factor (EGF), fibroblast growth factor basic (b-FGF), insulin growth factor (IGF1) and interleukin (IL-6). Circulating growth factors play an important role in tissue repair, including cell proliferation, migration, chemotaxis, cell differentiation and extracellular matrix synthesis [7,8].

The analysis of total cells in PRP and PRF has not been widely conducted. Inflammatory cells present in PRP and PRF also play a very significant role in the tissue healing process. Therefore, the objective of this research is to determine the number of cells in platelet rich plasma (PRP) and platelet rich fibrin (PRF), particularly inflammatory cells.

2. METHODS

2.1. Preparation of PRP and PRF

The research method was approved by the Ethical Committee of Hasanuddin University, Makassar. A total of 30 New Zealand white rabbits were divided into 3 treatment groups. In the control category, 5 cc of blood was collected from the first 10 animals, followed by counting the number of blood cells (complete blood count, CBC). In the second group, similar blood quantity and rabbit number were obtained and then processed with PRP, while the third group employed PRF.

In PRP preparation, 5 cc of blood was extracted and then placed in a tube with anti-coagulant, followed by the 2-stage centrifugation process. The first centrifugation occurred at 3000 rpm for 10 minutes, where the top layer of the buffy coat (middle) was removed. This isolated sample was re-centrifuged at 3000 rpm for 10 minutes to form 2 layers, and the top layer was platelet rich plasma [5]. The processing of platelet rich fibrin was based on Doohan standards, where 5 cc of blood was collected in a tube without anticoagulant, followed by centrifugation at 1500 rpm for 10 minutes in a vertical position. The tube is expected to form 3 layers, with PRF in the middle [9,10]. Furthermore, centrifugation was conducted using the Duo Quattro machine (process for PRF, Nice, France).


Subsequently, PRP and PRF were calculated with the complete blood count (CBC) to ascertain the number of platelets, leukocytes, lymphocytes, monocytes and neutrophils. Also, the CBC was performed with a Sysmex XN-550 machine (Sysmex Corporation, Kobe, Japan), based on flow-cytometry.

3. RESULT AND DISCUSSION

3.1 Results

3.1.1 Platelet rich Plasma (PRP) and Platelet Rich Fibrin (PRF)

The centrifugation process was conducted immediately after the blood samples were collected from the rabbits, either in the PRP or PRF.



A. Platelet Rich Plasma (PRP) B. Platelet Rich Fibrin (PRF)



C. Tube-ejected PRF

Figure 1. Processed Platelet rich plasma (PRP) and Platelet rich fibrin (PRF).

3.1.2 Cell number on PRP and PRF

The examination for total cell count was obtained from the middle layer of PRP and PRF. In PRF, the material was collected on a buffy coat, which was 0.5 cm from the bottom of the middle layer (Figure 1).




Figure 2. Number of platelets on control, PRP and PRF.

Based on complete blood count (CBC), the average number of platelets in whole blood, PRP and PRF were 32×10^3 , 122×10^3 and 143×10^3 cells/L, respectively (Figure 2).




Figure 3. Number of Leukocytes on control, PRP and PRF.

Based on complete blood count (CBC), the average number of leukocytes in whole blood sample, PRP and PRF were 1.8×10^3 , 0 and 3.8×10^3 cells/L, respectively (Figure 3).




Figure 4. Number of Lymphocytes, Neutrophils and Monocytes on control, PRP and PRF.

Based on the cell count, the average lymphocytes in whole blood, PRP and PRF were 8.2×10^2 , 0 and 6.4×10^2 cells/L, respectively. Furthermore, the average number of neutrophils in whole blood, PRP and PRF were 4.3×10^2 , 0 and 3.1×10^2 cells/L, while the average number of monocytes in whole blood, PRP and

PRF were 50, 0 and 20 cells/L, correspondingly (figure 4).

3.2 Discussion

Based on this research, the platelet rich plasma (PRP) and platelet rich fibrin (PRF) were known to increase the platelet concentration by 3.8 and 4.5 fold, respectively, compared to whole blood. The number of cycles and centrifugation interval tends to influence the platelet count. In another research with centrifugation at 2,700 rpm for 12 minutes, the number of platelets and leukocytes decreased to 97 and 50%, correspondingly, compared to whole blood. Centrifugation was further conducted at 1,300 rpm for 8 minutes, leading to an increment in the number of platelets by 1.6 fold. This was subsequently referred to as an advanced platelet rich plasma [11].

The research method that involved changing the PRF reading on the tube also showed a significant increase in platelet count. Taking PRF at 0.3-0.5 cm at the bottom of the PRF layer has a high tendency to enhance platelet count. This region is typically called the buffy coat, where the number of platelets and leukocytes expands between 10-20 folds, compared to whole blood [12]. Furthermore, PRF materials are not only present in the coagulation pathway in cartilage healing, due to their ability to release a broad spectrum of cytokines, chemokines, growth factors, and other mediators, but also has the capacity to release several molecules such as von Willebrand factor, P-selectin, fibronectin, VEGF, platelet-derived endothelial growth factor (PDEGF), vitronectin and fibrinogen [13,14].

In this research, 2.1 fold increase was observed in the number of leukocytes for PRF, but zero for PRP. This increment is always in harmony with the growth in the number of platelets during PRF manufacture. The zero-leukocyte count in PRP was due to rapid centrifugation that was performed twice, with nothing left in the layer. However, low centrifugation on PRF allows leukocytes to remain in its layer. The presence of these leukocytes is considered a PRF advantage, where a faster healing appears obtainable [13].

Platelet rich plasma and platelet rich fibrin are tissue engineering technologies widely applied in healing cartilage injuries. In addition, platelets as the dominant components, represent the main cells responsible for the biological activity during the recovery process. The PRF composition includes the concentrate of white blood cells, platelets and fibrin [13]. Regardless of the significant roles of these cells in blood clot formation, various platelet-derived protein molecules involved in the cartilage healing cascade are inherent contents [13].

However, to determine the amount of growth factor in PRP, PRF and Advance PRF, PRP is expected to release significantly higher proteins at an earlier period.

Meanwhile, in PRF and advance-PRF, a continuous and steady release of growth factors for over 10 days was recorded [8]. In another research, TGF- β 1, VEGF in CGF and CD34 positive cells were discovered in the PRF. These protein components jointly help promote tissue healing [15].

In platelet rich fibrin, the number of lymphocytes decreased to 82%, while neutrophils declined to 72% and eventually to 40%. However, the number of lymphocytes, neutrophils and monocytes were all zero in the platelet rich plasma, with no traces of inflammatory cells. This was because the high and repeated cycles caused the cells to be more concentrated in the lowest red blood cell layer [13].

Monocytes, lymphocytes and neutrophils are the main cells for the healing of cartilage tissues. The monocytes migrate into the inflamed region after the neutrophil's influx, where both then become macrophages with a crucial role in early inflammation. Meanwhile, neutrophils and other components such as granulocytes are capable of travelling deeper into the clot matrix of the clot, due to their sizes. With an average diameter between 8.5–10 μ m, neutrophilic granulocytes appear remarkably smaller, compared to monocytes (15–20 μ m) and therefore are more prone to intense clot penetration during centrifugation [14].

PRP has been analyzed for over 10 years with varying results. Several research in osteoarthritis patients generated satisfactory outcomes. Research on intra-articular injection with PRP showed that the results were dependent on the injection timing. The duration of the therapeutic effect is based on the action interval of the growth factor and the 9 months estimated median interval of the PRP effect [16]. Conversely, research regarding the PRF benefits on cartilage appear relatively recent, compared to PRP. Various attempts generated a greater potential for PRF to heal cartilage injuries than PRP, although more investigations on the PRF benefits for joint cartilage are highly necessary [7,16].

4. CONCLUSION

Based on the overall results and discussion, several increases in the number of platelets (3 to 4-fold) were reported in both platelet rich plasma (PRP) and platelet rich fibrin (PRF), while leukocytes only occurred in PRF. This multi-fold enhancement accompanied by growth factors are believed to accelerate cartilage healing. Furthermore, the presence of inflammatory cells, including lymphocytes, neutrophils and monocytes also has the capacity to increase the healing potential already present in PRF.

AUTHORS' CONTRIBUTIONS

Ahmad Taufik S: Data collection, manuscript writing

Adnanto Wiwoko: Data collection, literature review writing

Bayu Tirta Dirja: Manuscript review, proof-reading.

Devi Rahmadona: Laboratory supervisor, manuscript writing

Dyah Purnaning: Data collection, literature review writing.

Mohammad Rizki: Laboratory supervisor, manuscript writing.

ACKNOWLEDGMENTS

The authors are grateful to the Rector of the University of Mataram, Dean of Faculty of Medicine University of Mataram, Director of Mataram University Hospital, Laboratory in Stem Cell Research centre Mataram University Hospital.

REFERENCES

- [1] Ambra LF, de Girolamo L, Mosier B, Gomoll AH. Review: Interventions for Cartilage Disease: Current State-of-the-Art and Emerging Technologies. *Arthritis Rheumatol.* 2017;69(7):1363-1373. doi:10.1002/art.40094
- [2] Medvedeva E V., Grebenik EA, Gornostaeva SN, et al. Repair of damaged articular cartilage: Current approaches and future directions. *Int J Mol Sci.* 2018;19(8). doi:10.3390/ijms19082366
- [3] Makris EA, Gomoll AH, Malizos KN, Hu JC, Athanasiou KA. Repair and tissue engineering techniques for articular cartilage. *Nat Rev Rheumatol.* 2015;11(1):21-34. doi:10.1038/nrrheum.2014.157
- [4] Zhang Y, Pizzute T, Pei M. Anti-inflammatory strategies in cartilage repair. *Tissue Eng - Part B Rev.* 2014;20(6):655-668. doi:10.1089/ten.teb.2014.0014
- [5] Liu J, Song W, Yuan T, Xu Z, Jia W, Zhang C. A comparison between platelet-rich plasma (PRP) and hyaluronate acid on the healing of cartilage defects. *PLoS One.* 2014;9(5). doi:10.1371/journal.pone.0097293
- [6] Khiste SV, Naik Tari R. Platelet-Rich Fibrin as a Biofuel for Tissue Regeneration. *ISRN Biomater.* 2013;2013:1-6. doi:10.5402/2013/627367
- [7] Barbon S, Stocco E, Macchi V, et al. Platelet-rich fibrin scaffolds for cartilage and tendon regenerative medicine: From bench to bedside. *Int J Mol Sci.* 2019;20(7). doi:10.3390/ijms20071701
- [8] Kobayashi E, Flückiger L, Fujioka-Kobayashi M, et al. Comparative release of growth factors from PRP, PRF, and advanced-PRF. *Clin Oral Investig.* 2016;20(9):2353-2360. doi:10.1007/s00784-016-

1719-1

- [9] Dohan DM, Choukroun J, Diss A, et al. Platelet-rich fibrin (PRF): A second-generation platelet concentrate. Part I: Technological concepts and evolution. *Oral Surgery, Oral Med Oral Pathol Oral Radiol Endodontology*. 2006;101(3). doi:10.1016/j.tripleo.2005.07.008
- [10] Dohan DM, Choukroun J, Diss A, et al. Platelet-rich fibrin (PRF): A second-generation platelet concentrate. Part II: Platelet-related biologic features. *Oral Surgery, Oral Med Oral Pathol Oral Radiol Endodontology*. 2006;101(3). doi:10.1016/j.tripleo.2005.07.009
- [11] Miron RJ, Chai J, Zheng S, Feng M, Sculean A, Zhang Y. A novel method for evaluating and quantifying cell types in platelet rich fibrin and an introduction to horizontal centrifugation. *J Biomed Mater Res - Part A*. 2019;107(10):2257-2271. doi:10.1002/jbm.a.36734
- [12] Miron RJ, Chai J, Zhang P, et al. A novel method for harvesting concentrated platelet-rich fibrin (C-PRF) with a 10-fold increase in platelet and leukocyte yields. *Clin Oral Investig*. 2020;24(8):2819-2828. doi:10.1007/s00784-019-03147-w
- [13] Pavlovic V, Ciric M, Jovanovic V, Stojanovic P. Platelet - rich fi brin : Basics of biological actions and protocol modi fi cations. 2021:446-454.
- [14] Ghanaati S, Booms P, Orłowska A, et al. Advanced platelet-rich fibrin: A new concept for cell- Based tissue engineering by means of inflammatory cells. *J Oral Implantol*. 2014;40(6):679-689. doi:10.1563/aaid-joi-D-14-00138
- [15] Rodella LF, Favero G, Boninsegna R, et al. Growth factors, CD34 positive cells, and fibrin network analysis in concentrated growth factors fraction. *Microsc Res Tech*. 2011;74(8):772-777. doi:10.1002/jemt.20968
- [16] Kawase T, Mubarak S, Mourão CF. The platelet concentrates therapy: From the biased past to the anticipated future. *Bioengineering*. 2020;7(3):1-20. doi:10.3390/bioengineering7030082

Proceedings of the 2nd Global Health and Innovation in conjunction with 6th ORL Head and Neck Oncology Conference (ORLHN 2021)

[+ Advanced search](#)

SEARCH

75 articles

Proceedings Article

Maxillary Sinus Odontogenic Keratocyst: Role of Radiology and Surgical Approach

A Rare Case

Marlinda Adham, Ferucha Moulanda

Odontogenic keratocytes (OKC) is a benign cystic lesion of odontogenic origin with aggressive and infiltrative behavior. Maxillary sinus involvement is reported rare in OKC with <1% cases and could mimic symptoms of other Sino nasal neoplasm. Recurrence rate was high between 25-60% that attributed...

[+ Article details](#)

[+ Download article \(PDF\)](#)

Proceedings Article

Solitary Neurofibroma of the Palate

A Very Rare Case

Oke Kadarullah

Neurofibroma (NF) is a benign nerve tumor originating from the peripheral nerve sheath. NF can occur as a solitary lesion or as part of the Von Recklinghausen disease syndrome. The solitary type rarely involves the head and neck regions, especially the oral cavity. However, few reports mention that NF...

[+ Article details](#)

[+ Download article \(PDF\)](#)

Proceedings Article

The Prevalence of Cardiovascular Comorbidity in COVID-19 at West Nusa Tenggara General Hospital from March to December 2020

Yusra Pintaningrum, Imam Fadhullah Pratama

The SARS-CoV-2 virus as the cause of COVID-19 has been declared a pandemic since March 2020. The clinical signs of COVID-19 are heterogeneous, such as 20–51% of patients were accounted have at least one comorbidity, with diabetes melitus (10–20%), hypertension (10–15%) and other cardiovascular and cerebrovascular...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Characteristics of Colorectal Cancer Patients in General Hospital of West Nusa Tenggara Province

Arif Zuhan

Colorectal cancer (CRC) is a malignant tumor found in the epithelium of colon and rectum. The incidence of CRC was in third ranks worldwide with 1,849,518 cases, which is 10.2% of all cancer diagnoses and second ranks as the cause of death due to cancer (881,000 deaths in 2018). This study aims to determine...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Profile of Head and Neck Neuroendocrine Carcinoma at Hasan Sadikin General Hospital Bandung from 2016 to 2020

Yussy Afriani Dewi, Amanda Carissa Wardhani, Agung Dinasti Permana

Neuroendocrine carcinoma (NEC) is a type of malignancy that affects the nerve and endocrine systems and secrete neuropeptides into the bloodstream. Because there are significant treatment differences between primary NEC of the head and neck and typical squamous cell carcinoma, it is critical to distinguish...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Neurological Aspects of Long COVID-19: A Review

David Giffard Kawi Junior, Ilsa Hunaifi

COVID-19 is a human-to-human infectious disease caused by SARS-CoV-2 virus and defined as a pandemic since early 2020. Because of the high spreadability and severity, it results in high rates of morbidity and mortality associated with the disease. There are several sets of signs, symptoms, or clinical...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Gray Patch Tinea Capitis in Two Siblings

Jessica Paramitha Aritonang, Lisa Alverina, Dedianto Hidajat

Gray patch type of tinea capitis is one of clinical manifestations of dermatophytosis in scalp and hair that usually occurs in tropical areas such as Lombok, mainly taking place in 6-month-old to 12-year-old children and could cause hair loss. The risk factors are direct contact with microorganisms from...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Polypharmacy as a Risk Factor for Exanthematous Drug Eruption

Lalu Shalya Kusuma Putra, Lisa Alverina, Dedianto Hidajat

Cutaneous adverse drug reactions (CADR) are an unfavorable condition caused by drugs manifesting on the skin. Exanthemata's drug eruption is the most common manifestation. The symptoms are itchy rash and burning sensation at the lesion and can occur along with fever and pain. The most common types of...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Tongue Squamous Cell Carcinoma in Younger Adult Female with a History of Breast Cancer: A Rare Case Report

Ricky Yue, Jessica Filbertine

Tongue squamous cell carcinoma (TSCC) is the most common presentation of oral cancer (OC). Risk factor traditionally associated with tobacco smoking and alcohol consumption affecting both sexes starting in four decades. Current case report highlights the associated risk factors from this patient and...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

The Differences of Programmed Death Ligand 1 Expression Between the Early Stages and Advanced Stages of *Nasopharyngeal Carcinoma* in DR. M Djamil Padang Hospital

Nadya Dwi Karsa, Sukri Rahman, Al Hafiz, Hirowati Ali, Hafni Bachtiar

Nasopharyngeal carcinoma (NPC) is a malignant tumor originating from the nasopharyngeal epithelial cells. Cell-mediated immunity has an important role in growth and development of cancer. Many studies have been conducted to predict the existence of an important relationship between immune checkpoints...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Diagnostic Performance Between White Light Endoscopy and Narrow Band Imaging in Detection of Nasopharyngeal Carcinoma A Systematic Review and Meta-Analysis

M.A. Pamuji, B.S.R. Utomo, L. Marlina, J.A. Trixie, L. Tasya, V.N. Hutagalung, D.N. Esterini

Nasopharyngeal Carcinoma (NPC) is an epithelial carcinoma originating from the nasopharynx mucosa lining. It is the most common head and necks malignant globally, especially in Asia. NPC is mostly located in Fossa of Rosenmüller, an area that is hard to observe. To diagnose NPC, radiologic imaging and...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Maxillary Giant Cell Tumor in Jogjakarta, Indonesia: A Case Report

Camelia Herdini, Danu Yudistira, Sagung Rai Indrasari

Maxillary giant cell tumor (GCT) is a rare benign bone lesion. It usually appears in the long bones. However, in the head and neck region GCT could also occur although the frequency is only 2% of the all GCT cases. We present a case of a 20-year-old female with GCT of left maxillary sinus who underwent...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Correlation Between Interleukin 6 with Nasopharyngeal Carcinoma in the Minangkabau Ethnic Group

Rimelda Aquinas, Sukri Rahman, Al Hafiz, Hirowati Ali, Hafni Bachtiar

Nasopharyngeal carcinoma (NPC) is a malignant tumour of nasopharyngeal epithelium that has a unique distribution pattern. Nasopharyngeal carcinoma is not only geographically specific but also ethnically. Some ethnic groups tend to suffer NPC. Multifactorial interactions are presumed to be the cause of...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Nasopharyngeal Carcinoma with Extensive Nodular Skin Metastasis A Case Report

Danu Yudistira, Sagung Rai Indrasari, Camelia Herdini, Auliya S.B Sumpono, D.A.M. Oktarina

Nasopharyngeal carcinoma (NPC) is a squamous cell malignancy originating from the nasopharyngeal epithelium. This tumor is more commonly found originating from the fossa of Rosenmüller, which is a transitional epithelial area. NPC has a high risk of regional metastases on the neck lymphnodes. However,...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Survival Rate of Patients with Diffuse Large B-Cell Lymphoma in the Head and Neck

Yussy Afriani Dewi, Agung Dinasti Permana, Ifiq Budiyan Nazar, Bethy Suryawathy Hernowo

Diffuse large B-cell lymphoma (DLBCL) is a subtype of aggressive non-Hodgkin lymphoma (NHL). Diffuse Large B-cell lymphoma is a subtype of lymphoma most often found in the head and neck region. Overall survival could be used in assessing the effectiveness of therapies that may affect prognosis and survival...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Covid-19 Infection in a Teenage Patient with Nasopharyngeal Cancer A Case Report in Rural Area

Hamsu Kadriyan, Yudhi Kurniawan, Sang Ayu Kompiyang Indriyani, Nova L. Audrey Pieter, Masyita Gaffar, Abdul Qadar Punagi

Covid-19 with nasopharyngeal cancer (NPC) comorbidities are rare in children. Post-chemoradiation cancer patients are one of the vulnerable groups to have Covid-19 infection. The Covid-19 infection could occur in an urban and rural area. More challenging issues occur in managing Covid-19 patients, furthermore,...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Sinonasal Carcinoma Extirpation with Midfacial Degloving Approach

Veni Rosita Dewi, Denny Satria Utama

Nasal and paranasal sinus (sinonasal) malignancies are rare cases, accounting for only 1% of all malignancies of the body and 3% of malignancies of the head and neck. Patients with sinonasal tumors usually present with an advanced stage and generally have extended to the surrounding tissue. Surgery with...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Corelation Between Epstein Barr Virus Epstein Barr Nuclear Antigen 1 DNA with Nasopharyngeal Carcinoma in Minangkabau Ethnic

Desy Ambriani, Sukri Rahman, Al Hafiz, Hirowati Ali, Hafni Bachtiar

Nasopharyngeal carcinoma (NFC) is a malignancy that come from the nasopharyngeal epithelial cell which is that distribution has been affected by geographic and ethnicity. NFC is caused by multifactorial causes, one of the is Epstein Barr Nuclear Antigen-1 (EBNA-1). EBNA-1 affects some of the signalling...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Pembrolizumab Efficacy in Treatment of Carcinoma of the Head and Neck Squamous Cell

Yussy Afriani Dewi, Ifiq Budiyan Nazar, Betty S. Hermono

Immunotherapy acts by a system of immune modulation to destruct cells of cancer. Squamous cell carcinoma of the head and neck (HNSCC), this modality can be administered alone or combined with other therapies. Currently, immunotherapy with chemotherapy has shown better effectiveness as first-line systemic...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Relationship of Nodule Type and Size with Thyroid Malignancy

Anton Sony Wibowo, Camelia Herdini, Bambang Udji Djoko Rianto

Thyroid carcinoma was the common head-neck malignancy. Clinical examination was essential at the initial suspicion of thyroid malignancy. Thyroid size and nodularity were the first things in a physical examination of the thyroid. This study aimed to determine the relationship between the type and size...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Diagnosis and Management of Parapharyngeal Space Tumor Focus on the Trans Parotid Approach

Sukri Rahman

Parapharyngeal space (PPS) tumors are rare and constitute less than 1% of all head and neck neoplasms. Benign and malignant tumors can arise from various structures of the parapharyngeal space. The PPS is a space deep in the neck, shaped like an inverted pyramid. The parapharyngeal space is bounded medially...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Research that Begins with a Patient in Front of You: *Legionella* Bacteria in Puddles on Roads

Ryota Sakamoto

In this article, I would like to describe researches that begin with a patient transferred to an emergency department of a local hospital in a rainy season. A patient transported after a car accident turned out to have Legionnaires' disease (LD). Although the causal relationship is unknown, *Legionella*...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Hematologic Profile in Patients with Nasopharyngeal Carcinoma

Susilawati Susilawati, Hamsu Kadriyan, Wayan Putu Sutirtayasa

Nasopharyngeal carcinoma (NPC) patients who are undergoing chemoradiotherapy, it is important to have a hematological profile examination to see hemoglobin and erythrocyte levels, the incidence of infection that has an effect on leukocyte levels and the risk of bleeding arising from a decrease in platelet...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Maxillofacial Fibrous Dysplasia

Christin Rony Nayoan, Dwi Antono, Rully Satriawan

Fibrous dysplasia (FD) is a rare and benign bone disorder, where normal bone and bone marrow are replaced by fibrous connective tissue mixed with irregular bone trabeculae. FD located in the maxillofacial area might lead to bone deformity, facial asymmetry, hearing loss, nasal congestion, pain, paresthesia,...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Follicular Lymphoma Mimicking a Benign Submandibular Gland Tumor

Izry Naomi Lumbantobing

Follicular lymphoma of the submandibular gland is exceptionally uncommon. Lymphomas within the head and neck region do not have particular clinical behavior and manifestation. Furthermore, frozen section and fine-needle aspiration cytology can only provide a provisional diagnosis. Therefore, surgeons...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Characteristics of Laryngeal Carcinoma Patients Who Underwent Surgery in Bali, Indonesia

I Gde Ardika Nuaba, Made Gita Ratnasari

Laryngeal carcinoma is a frequent malignancy in the world. However, limited data are found in Indonesia, including in Bali which is one of the famous tourism placed in the world. The purpose of this study was to determine the characteristics of patients with laryngeal carcinoma who underwent surgery...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Association of Toll-Like Receptor-3 Polymorphism with Nasopharyngeal Carcinoma in The Minangkabau Ethnic Group

Putri Sari Ivanny, Sukri Rahman, Al Hafiz, Hirowati Ali, Hafni Bachtiar

Nasopharyngeal carcinoma (NPC) is an epithelial malignancy in the head and neck region that has a unique geographic distribution and is closely related to Epstein-Barr Virus (EBV) infection. The growth of malignancy due to viruses is largely determined by the host immune response. Toll-Like Receptors...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Characteristics of Patients with Malignant Laryngeal Tumors in Annually Forest Fire Region in Indonesia

Rusina Hayati, Hamsu Kadriyan

Banjarmasin is one of the regions that annually face the forest fire. The fire led to the low quality of the air. The low quality of the air is one of the risk factors of the malignant laryngeal tumor. The characteristics of patient with malignant laryngeal tumor in Banjarmasin is remain unknown. This...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Jakarta Head and Neck Oncology Surgery Priority Score (Ja-HOP)

Indra Parmaditya Pamungkas, Marlinda Adham, Bambang Hermani, Ika Dewi Mayangsari, Ferucha Moulanda

COVID-19 Pandemic has made a major change in the health care system including oncologic services. Elective surgery was mostly delayed to preserve resources and decreased COVID-19 transmission. Head and neck oncologic surgery will often be classified as "urgent" surgery and need special management in...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

COVID-19 Prediction Based on DWT and Moment Invariant Features of Radiography Image Using the Artificial Neural Network Classifier

Ditha Nurcahya Avianty, I Gede Pasek Suta Wijaya, Fitri Bimantoro, Rina Lestari, Triana Dyah Cahyawati

COVID-19 is an infectious disease caused by a family of coronaviruses, namely severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2). The fastest method to identify the presence of this virus is a rapid antibody or antigen test, but to confirm the positive status of a COVID-19 patient, further...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Auricle Giant Papilloma in a 32 Years Old Indonesian Male: A Case Report

Edo Wira Candra

Head and neck squamous papilloma usually occur in the skin, oral mucosa and upper part of aerodigestive tract. Auricle giant papilloma is uncommon cases worldwide. We report a thirty-two years old Indonesian male seen with auricle giant black mass at our hospital, in Bogor. In this case, mass excision...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Voice Improvement After Thyroid Surgery

Edo Wira Candra

Patients with enlarged thyroid gland (goiter) that cause paralysis of recurrent laryngeal nerve (RLN) or hoarseness usually have associated with thyroid malignancy. Malignancy can be directly or indirectly related to RLN. Cases of vocal cord paralysis associated with benign thyroid disease or goitre...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Characteristics of Hearing Impairment in Patients with Nasopharyngeal Carcinoma in AR Bunda Hospital Prabumulih June 2018 - September 2019

Apriyanza Apriyanza, Denny Satria Utama

Nasopharyngeal carcinoma (NPC) is a malignant tumor that grows in the nasopharynx with predilection in the Fossa of Rossenmuller and roof of the nasopharynx. Clinical manifestations of nasopharyngeal carcinoma can be divided in Four categories: nasopharyngeal symptoms, symptoms of tubal dysfunction,...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Management of Recurrent Regional Nasopharyngeal Carcinoma

Marlinda Adham, Gita Aryanti

Treatment result for nasopharyngeal carcinoma has improved drastically due to introduction of chemotherapy and radiotherapy combination. However, regional failure is still a common finding which occurs to 3-10% patients. Local failure can be divided into 2, residual and recurrent disease. Residual or...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Quality of Life in a Patient with Total Laryngectomy Without Neck Dissection for Stage III Laryngeal Carcinoma A Case Report with EORTC QLQ-C30

Tengku Reza Alfisyah, Benny Kurnia, Lily Setiani, Marhaban Marhaban

Laryngeal cancer is a malignancy on larynx that may occur in glottis, supraglottic and subglottic. This malignancy is a second most carcinoma in head and neck area Clinical manifestation such as dysphonia, breathing obstruction, dysphagia, odynophagia, and hemoptysis. Reported a laryngeal cancer with...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Hemiglossectomy with Supraomohyoid Neck Dissection on T3N1M0 Tongue Cancer Patient A Case Report

Karina Witary Ayu Siagian, Benny Kurnia, Fadhlia Fadhlia

Hemiglossectomy, surgical removal of half of the tongue, is one of the procedures for tongue cancer management. Surgery followed with supraomohyoid neck dissection (SOHND) is suggested to treat regional metastasis. SOHND is a selective neck dissection indicated for patients with T2, T3 tongue cancer...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Management of Pleomorphic Adenoma of Submandibular Gland: A Rare Case

Elvita Nora Susana, Lily Setiani, Baluqia Iskandar

Pleomorphic adenoma is the most common benign tumor in the salivary glands but rarely in the submandibular glands. It is a mass in the submandibular, which is asymptomatic and painless. Excision of the tumor is a treatment that surgeons widely use. The study aimed to describe the management of pleomorphic...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Management of Stage II Sinonasal Carcinoma (T2N0M0) with Transnasal Endoscopic Resection and Radiotherapy

Riska Handriani, Fadhlia Fadhlia, Benny Kurnia

Nasoethmoidal carcinoma is a malignant tumor found in the nasal cavity and ethmoidal sinuses. The early stage is rarely found due to the similarity of symptoms inflammatory process in sinonasal. The main modality for sinonasal cancer is surgery followed by radiation as adjuvant treatment. The prognosis...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Management of Stage IVA Sinonasal Carcinoma Infiltrating Skin of Cheek: A Case Report

Luchia Elfira, Fadhlia Fadhlia, Benny Kurnia, Darmayanti Darmayanti

Advanced stage of sinonasal carcinoma that infiltrating skin of cheek is rarely found, surgery is still the main modality since the cancer has not penetrated the intracranial. Based on the distribution, Ohngren is divided into: suprastructure and infrastructure. To report the diagnosis and management...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

The Development of Health Capacity Index for a Semi-Quantitative Earthquake Hazards Risk Analysis with a Special Reference to the Lombok Earthquake Disaster 2018

Wilya Isnaeni, Suryani Asa'ad, Mochammad Hatta, Saidah Syamsuddin, Fahrin R. Andiwijaya, Didi S. Agustawijaya

Earthquakes often caused severe fatalities to human beings, as the case of Aceh earthquake 2004, and Lombok earthquake 2018. For the case of Lombok shallow earthquakes 2018, the earthquakes of a magnitude 7.0 have destroyed almost 800 thousand homes, and caused the death of more than 500 people. The...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Cystic Adenomatoid Thyroid Nodule

Guntur Bayu Bima Pratama, Denny Satria Utama

Thyroid nodules are a common clinical problem. The prevalence of palpable thyroid nodules approximately 5% in women and 1% in men. In contrast, high-resolution ultrasound (US) can detect thyroid nodules in 19-68%. The clinical importance of thyroid nodules is to exclude thyroid cancer, which occurs in...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Unilateral Benign Thyroid Lesion Management with Histopathology Results Following Surgery Was a Malignancy

Fadhlia Fadhlia, Elvita Nora Susana

Benign thyroid lesions are cellular differentiation into enormous sizes that can be seen from the outside without interfering with thyroid hormone. The FNAB and USG were used to diagnose thyroid lesions. Unilateral benign lesions may be treated with lobectomy or isthmus lobectomy. Case report: A 40-year-old...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Extranodal Natural Killer (NK)/T-cell Lymphoma Nasal type A Case Report

Selvianti Selvianti

Extranodal Natural Killer (NK) / T-cell Lymphoma, Nasal type (ENKTCL-NT) is a rare type of Non-Hodgkin Lymphoma (NHL), commonly involves midline areas of the nasal cavity, oral cavity, and/or pharynx. ENKTCL-NT has a very strong relationship with Epstein Barr virus (EBV) infection. Treatment of ENKTCL-NT...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Surgical Management of Tympanojugulare Paragangliomas: A Rare and Challenging Case of Vascular Neoplasma

Dinna Astrib, Masyita Gaffar, Nova Pieter

Tympanojugulare paragangliomas (TJPs) are benign tumors arising from neural crest cells located along the jugular bulb and the tympanic plexus. TJPs have always presented a challenge to surgeons due to the fact that these tumors are vascularize and locally aggressive and involve important neurovascular...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Bilateral Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features (NIFTP) Presenting in a Female Child

Ade Burhanudin

Non-invasive follicular thyroid neoplasm with papillary-like features (NIFTP) is a benign thyroid lesion without recurrence or distant metastasis. The management of NIFTP can be partial or total thyroidectomy, which is sufficient to provide a perfect cure rate. Most cases of NIFTP were found in adults...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Tornwaldt Cyst: Rare Benign Neoplasm Mimicking Nasopharyngeal Carcinoma

Evans Gunterus, Alamanda Monik

Nasopharyngeal cancer (NPC) is the fifth most common cancer in Indonesia and highest in head and neck area. Its most common manifestations ever reported in Indonesia were unilateral ear problem, followed by persistent nasal obstruction, blood nasal secretion, cephalgia, lymph node enlargement, and tinnitus...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Acquired Long QT Syndrome (LQTS) Secondary to Electrolyte Imbalance: A Case Report

Yusra Pintaningrum, Ketut Angga Aditya Putra Pramana

The long QT syndrome (LQTS) is a one type of severe cardiac arrhythmia syndrome that leading cause to unexpected cardiac death, characterized with impaired ventricular repolarization caused by hereditary disorder in sodium and potassium channels on cardiac myocyte and acquired caused by drugs or electrolyte...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Mortality Rate of People Living with HIV/AIDS on Injection Drug Users (IDU) Compared to Non-Injection Drug Users (non-IDU)

Ni Pt Wr Pradnya Nirmala Putri, Jaini Rahma, Nabila Aisyah Putri, Putu Wika Pramesti Iswari, Salsabila Chauna, Wina Arsylia Fakar, Cut Warnaini

Risk factors for transmission of HIV/AIDS are heterosexual (84.7%), Injection Drugs User (IDU) (5.7%), homosexual (4.7%), perinatal transmission (4.6%) and blood transfusion (0.1%). As the second-largest risk factor, IDU is a serious public health concern because of its high potential in transmitting...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Tramiprosate as a Novel Treatment for Mild-Moderate Alzheimer Disease A Systematic Review

Abiyyu Didar Haq, Visakha Vidyadevi Wiguna, Putu Diah Ananda Putri Atmaja, Cut Warnaini

Alzheimer Disease (AD) is a chronic neurodegenerative disease. Currently, treatment for AD is limited to symptomatic treatment only, which are cholinesterase inhibitor and memantine. Acting as a symptomatic treatment, those drugs don't act on the pathogenesis of AD. Tramiprosate is a small aminosulfate...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

"COMMANDO" Procedures in Cancer of the Head & Neck: Short Communication

Geng Ju Tuang, Chong Sian Ng, Mohd Razif Mohamad Yunus

The "COMMANDO" procedure has been regarded as an intrepid surgical technique in the field of otolaryngology. The procedure involves resecting a portion of the mandible along with neck dissection and removal of the primary intra-oral tumor. Herein, the authors narrated on the indications of composite...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Education Level as a Predictor for Health Literacy Levels in a Rural Community Health Centre
A Cross-Sectional Study

Fahrin Ramadan Andiwijaya, Hamsu Kadriyan, Arfi Syamsun

Health literacy is an important determinant in individual health and public health. However, evidence suggests that there are still disparities in health literacy levels between different socio-economic and education backgrounds. This study aims to look at level of education as a predictor for achieving...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Lessons Learned from Online Qualitative Data Collection in an International Collaborative Study During the COVID-19 Pandemic
Teachers' Effort to Cope with Conflict in Implementing Comprehensive Sexuality Education at Secondary Schools in Mataram City, Indonesia

Fumiko Shibuya, Dian Puspita Sari, Cut Warnaini, Arina Windri Rivarti, Rie Takeuchi, Hamsu Kadriyan, Calvin de los Reyes, Jun Kobayashi

An online survey was conducted for an international collaborative study from a remote area during the COVID-19 pandemic because the researchers needed to consider non-face-to-face methods of conducting an international collaborative study in situations in which social distance must be maintained. In...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

The Association Between Prenatal Care (PNC) Coverage and Distribution of Iron Supplements with Cases of Non-infectious Disease in Pregnant Mothers in Narmada Public Health Center (PHC), West Lombok in 2020

Cut Warnaini, Lina Nurbaiti, I Dewa Gede Ngurah Agung, I Wayan Inggita Darmawan, Baiq Maygina Nafsa Sulan, Nikita Andini Putri, Siti Fadhila Musafira, Paul Dugdale

Disturbances at an early stage, provide immediate intervention and prevent death. During PNC visits, mothers will also receive supplements such as folic acid and iron that help in preserving their healthy condition. This study aims to identify the association between PNC coverage and distribution of...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Acute Dysbaric Disorders: A Case Series in The Hyperbaric Center in Lombok 2016-2020

Eustachius Hagni Wardoyo, Devi RM Tarigan

This study aimed to describe acute dysbaric disorder (ADD) in the hyperbaric center in Lombok during 2016-2020. All types of ADD diagnosis which attend to Diving Health and Hyperbaric center Mataram General Hospital (DHM) 2016-2020 were included in the study. Secondary data of Medical Record then analyzed...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Zinc Deficiency among Adolescence in Stunting Locus Area, Lombok, Indonesia

Deasy Irawati, Lina Nurbaiti, Ardiana Ekawanti

Adolescence is at risk for zinc deficiency due to their high acceleration of growth, with bone mineral deposition reaching 80-90% by the adolescent phase. In zinc deficiency, adjustments in zinc pools were made, including the release of zinc retention in bones. Severe zinc deficiency could lead to growth...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

A Rare Case of Embolic Stroke in Patient with Uncorrected Pentalogy of Fallot: A Case Report

Yusra Pintaningrum, Ketut Angga Aditya Putra Pramana

Pentalogy of Fallot is cyanotic type congenital heart disease that characterized with anatomical anomalies in Tetralogy of Fallot and atrial septum defect or patent foramen ovale. That condition makes cyanosis because of diminished oxygenated blood flow to the organs. Cerebrovascular accidents like embolic...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Nasopharyngeal Carcinoma Patient Characteristics at Sayang General Hospital Cianjur West Java

Eman Sulaiman

Nasopharyngeal carcinoma (NPC) is the most common head and neck malignancy in Indonesia, placing it as the fourth most common among all malignancies in Indonesians. NPC has different characteristics from other head and neck epithelial tumors in respect of epidemiology, histopathology findings, diagnosis...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Different Outcome in Early and Late Abdominal Pregnancy A Case Series on Abdominal Pregnancy at West Nusa Tenggara Hospital

Febie Putra Suwana, I M.W. Mahayasa, Muhammad Rizkinov Jumsa Jumsa, A. Karima

Abdominal pregnancy is a very rare and very dangerous type of ectopic pregnancy, this kind of pregnancy occurs in 1: 10.000 to 30.000 pregnancies (1,4% of all ectopic pregnancies). This kind of pregnancy is a challenge to diagnose and treat, especially in a developing country such as Indonesia. In this...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Pregnancy and COVID-19 Policy and Strategy

Ario Danianto, Putu Diah Ananda Putri Atmaja, Muhammad Rizkinov Jumsa, Intan Wahyu Lasiaprillianty, Meilisva Audila Anggraini

COVID-19 has led to a global emergency because of its infectivity to the general population, especially the vulnerable population, pregnant women. Changes in the immune system of pregnant women made them more vulnerable to developing adverse complications COVID-19. This study evaluates pregnant women...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Mucormycosis in Healthy Young Man A Case Report in Indonesia

Metta Octora, Arthur Pohan Kawilarang, Eddy Bagus Wasito

Mucormycosis is one of the most common invasive fungal infections. Unlike other filamentous fungi, Mucorales additionally may be a frequently lethal infection in immunocompetence patient. We describe a 22-year-old male patient that presented wound of right lateral eye and right face, as well as pain...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Placenta Previa Accreta: A Case Report on Management of Elective Cesarean Delivery at Tertiary Hospital in West Nusa Tenggara

Ainun Karima, G.M Punarbawa, Muhammad Rizkinov Jumsa, F.P. Suwana.

The Incidence and prevalence of placenta accreta and placenta previa has increased due to the increasing numbers of cesarean deliveries. Placenta accreta is one of the most serious complications of pregnancy and is often associated with placenta previa and severe obstetric hemorrhage and one of an important...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Cell Multiplication in Platelet Rich Fibrin (PRF) and Platelet Rich Plasma (PRP) as Biofuels for Cartilage Tissue Engineering

Ahmad Taufik S, Adnanto Wiweko, Devi Rahmadona, Dyah Purnaning, Mohammad Rizki, Bayu Tirta Dirja

Cartilage injury remains a major orthopedic challenge due to its low repair capacity, with the tendency to cause osteoarthritis. In addition, the treatment method involving platelet rich plasma (PRP) and platelet rich fibrin (PRF) as cartilage engineering components greatly anticipates promising recovery...

- [Article details](#)
 - [Download article \(PDF\)](#)
-

Proceedings Article

Mass Blood Survey Followed by Active Case Detection Success to Eradicate Malaria in Batunampar Village, Jerowaru Subdistrict, East Lombok, West Nusa Tenggara, Indonesia

Ahmad Taufik S, Adnanto Wiweko, Didit Yudhanto, Deasy Irawati, Heru Farah Subaktianto, Lalu Hamzi Fikri, Mohammad Rizki, Seto Priambodo, Mulyanto Mulyanto

Malaria is an endemic that often occurs in the coastal areas of East Lombok, West Nusa Tenggara. One of the most common ways of spreading this parasite is through asymptomatic malaria. Therefore, mass blood surveys and active case detection are needed to identify parasitemia and eradicate malaria in...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

How Early Detection Error Can Lead to Severe Prognosis in Patient with Post-Partum Urinary Retention: A Case Report of Two Cases

Nada Nafisha Humaera, Muhammad Rizkinov Jumsa

Postpartum urinary retention (PUR) is a condition with a post-void residual volume of more than 150 mL. The incidence of PUR is not clear because of an undiagnosed asymptomatic condition. According to from literature incidence of PUR is about 0.05%-37%. Neglected PUR may result in anuria, hydronephrosis,...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Assessing Effectiveness of the Dengue Hero Board Game in Improving Children's Knowledge and Attitudes on Dengue Prevention: A Randomized Controlled Experiment

Mochamad Bagus Ferdiawan, Sigit Kusdaryono, Dewi Suryani, Dian Puspita Sari

Educational board games have been used as an alternative method for health promotion and education. This study aimed to assess the effectiveness of the Dengue Hero board game in improving children's knowledge and attitudes regarding Dengue prevention compared to the conventional, lecture-based health...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Validity and Reliability Test of the Short Form-36 (SF-36) Item Health Survey in Indonesian Version of Post-Heart Attack Patients in Mataram City

I Wayan Manacika Surya Dharma, Dian Puspita Sari, Basuki Rahmat

The Indonesian version of the SF-36 Item Health Survey instrument measured quality of life in patients with chronic diseases. However, the validity and reliability of this instrument have not been tested in the post-heart attack patient population. This study aimed to assess the construct validity and...

- [Article details](#)
- [Download article \(PDF\)](#)

Proceedings Article

Three Rare Cases of Otolaryngology Tuberculosis: A Report of Extra-Pulmonary Tuberculosis Cases in the Larynx, Tonsil and Parotid

Hamsu Kadriyan, Ima Arum Lestari, Fathul Djannah, Fahrin Ramadan Andiwijaya

Tuberculosis (TB) remains a global health problem, and in the South-East Asia Region, 15% are extra-pulmonary TB (EPTB). The occurrence of EPTB in the upper airway, tonsil and the parotid gland is a rare finding. Moreover, EPTB in these regions would present mimicking symptoms as common ENT cases. The...

● [Article details](#)

● [Download article \(PDF\)](#)

Proceedings Article

Management of Atypia of Undetermined Significant Thyroid Nodule

Ika Dewi Mayangsari, Ferucha Moulanda

Thyroid nodules are one of frequent clinical problem with prevalence of 5% palpable nodules. Results of atypia of undetermined significance (AUS) can be found with risk of 5-15% malignancy rates. Management of AUS is still challenging and complex including observation until surgical approach. We present...

● [Article details](#)

● [Download article \(PDF\)](#)

Proceedings Article

Study of SARS-COV 2 Antibody Level Before and After the Third Covid-19 Vaccine Booster on Health Worker in Province of Nusa Tenggara Barat General Hospital

Rina Lestari, Indana Eva Ajmala, Prima Belia Fathana, Yusra Pintaningrum

Vaccination is one of the ways that countries around the world to manage the COVID-19. The effectiveness of a vaccine can be assessed from the degree of protective antibodies produced after the vaccination program. The purpose of this study was to determine the levels of SARS-CoV-2 antibodies in the...

● [Article details](#)

● [Download article \(PDF\)](#)

Proceedings Article

Community Resilience in the Time of the COVID-19 Pandemic: A Qualitative Study on Local Perspectives in the Island of Lombok

Fahrin Ramadan Andiwijaya, Hamsu Kadriyan, Putu Suwita Sari, Jun Kobayashi, Suryaning Rasyidah, Lalu Hamzi Fikri

The Coronavirus disease (Covid-19), was declared a pandemic as it spread globally. In Indonesia the initiatives on mitigation and slowing the spread of the disease focused on physical distancing efforts. Focusing in Mataram, the main region of the Island of Lombok, West Nusa Tenggara Province. We analysed...

● [Article details](#)

● [Download article \(PDF\)](#)

Proceedings Article

The Review of *Baccaurea racemosa*: Neglected Plants, but Potential to be Developed

Lina Permatasari, Sugeng Riyanto, Abdul Rohman

The *Baccaurea racemosa* was the plant that spread in the Southeast Asia. *B. racemosa* fruit had a sour taste, so that the economy of this plant was low. *B. racemosa* has almost been forgotten in people. If this plant bears fruit, the fruit is often neglected. If the fruit is sold, the price will be low...

● [Article details](#)

● [Download article \(PDF\)](#)

Proceedings Article

Laboratory Profiles of Nasopharyngeal Carcinoma Patients

Nur Akbar Aroeman, Ifiq Budiyan Nazar, Yussy Afriani Dewi

Nasopharyngeal Carcinoma (NPC) is one of the most common head and neck malignant neoplasms worldwide. Laboratory profile is rarely evaluated in Indonesia as a prognostic consideration. The aim of this research is to describe the laboratory profile of NPC patients. This is descriptive research using a...

● [Article details](#)

● [Download article \(PDF\)](#)

Proceedings Article

Correlations Between Laboratory, Clinical and RT-PCR Parameters in Covid-19 Patients Admitted in Nusa Tenggara Barat General Hospital

Prima Belia Fathana, Rina Lestari, Indana Eva Ajmala, Metta Octora

The main problems faced by the COVID-19 pandemic are the high risk of transmission, the lack of fast and valid screening tools, and the length of the disease healing process it will indirectly affect the speed of transmission. This study aimed to assess the clinical correlation and laboratories of COVID-19...

● [Article details](#)

● [Download article \(PDF\)](#)

Proceedings Article

The Effect of Monosodium Glutamate Administration on Estradiol Levels on Pregnant Wistar Rats

Dian Soekmawaty Riezqy Ariendha, Fitri Apriyanti, Arni Amir, Yanwirasti Yanwirasti

The purpose of this study was to see the influence of the MSG administration to the estrogens levels, progesterone levels, and the quantity of infant on pregnant Wistar rats. The design of this study was experimental research with post test only control group design on 24 samples pregnant albino Wistar...

● [Article details](#)

● [Download article \(PDF\)](#)

Association of Metabolic Syndrome with Cardiovascular Mortality in The Elderly: A Meta-Analysis

Erieka Febriayana Rosiva, Muhammad Miftahul Hadi, Yusra Pintaningrum

Metabolic syndrome should be considered an important issue in elderly individuals, as aging is a major contributor to the prevalence of the constellation of cardiovascular and metabolic risk factors that constitute the syndrome. However, recent studies that have investigated metabolic syndrome as a predictor...

[Article details](#)

[Download article \(PDF\)](#)

Proceedings of the 2nd Global Health and Innovation in conjunction with 6th ORL Head and Neck Oncology Conference (ORLHN 2021)

251 authors

Adham, Marlinda	Maxillary Sinus Odontogenic Keratocyst: Role of Radiology and Surgical Approach
Adham, Marlinda	Jakarta Head and Neck Oncology Surgery Priority Score (Ja-HOP)
Adham, Marlinda	Management of Recurrent Regional Nasopharyngeal Carcinoma
Agung, I Dewa Gede Ngurah	The Association Between Prenatal Care (PNC) Coverage and Distribution of Iron Supplements with Cases of Non-infectious Disease in Pregnant Mothers in Narmada Public Health Center (PHC), West Lombok in 2020
Agustawijaya, Didi S.	The Development of Health Capacity Index for a Semi-Quantitative Earthquake Hazards Risk Analysis with a Special Reference to the Lombok Earthquake Disaster 2018
Ajmala, Indana Eva	Study of SARS-COV 2 Antibody Level Before and After the Third Covid-19 Vaccine Booster on Health Worker in Province of Nusa Tenggara Barat General Hospital
Ajmala, Indana Eva	Correlations Between Laboratory, Clinical and RT-PCR Parameters in Covid-19 Patients Admitted in Nusa Tenggara Barat General Hospital
Alfisyah, Tengku Reza	Quality of Life in a Patient with Total Laryngectomy Without Neck Dissection for Stage III Laryngeal Carcinoma
Ali, Hirowati	The Differences of Programmed Death Ligand 1 Expression Between the Early Stages and Advanced Stages of Nasopharyngeal Carcinoma in DR. M Djamil Padang Hospital
Ali, Hirowati	Correlation Between Interleukin 6 with Nasopharyngeal Carcinoma in the Minangkabau Ethnic Group
Ali, Hirowati	Corelation Between Epstein Barr Virus Epstein Barr Nuclear Antigen 1 DNA with Nasopharyngeal Carcinoma in Minangkabau Ethnic
Ali, Hirowati	Association of Toll-Like Receptor-3 Polymorphism with Nasopharyngeal Carcinoma in The Minangkabau Ethnic Group

Ali, Hirowati	Corelation Between Epstein Barr Virus Epstein Barr Nuclear Antigen 1 DNA with Nasopharyngeal Carcinoma in Minangkabau Ethnic
Ali, Hirowati	Association of Toll-Like Receptor-3 Polymorphism with Nasopharyngeal Carcinoma in The Minangkabau Ethnic Group
Alverina, Lisa	Gray Patch Tinea Capitis in Two Siblings
Alverina, Lisa	Polypharmacy as a Risk Factor for Exanthematous Drug Eruption
Ambriani, Desy	Corelation Between Epstein Barr Virus Epstein Barr Nuclear Antigen 1 DNA with Nasopharyngeal Carcinoma in Minangkabau Ethnic
Amir, Arni	The Effect of Monosodium Glutamate Administration on Estradiol Levels on Pregnant Wistar Rats
Andiwijaya, Fahrin R.	The Development of Health Capacity Index for a Semi-Quantitative Earthquake Hazards Risk Analysis with a Special Reference to the Lombok Earthquake Disaster 2018
Andiwijaya, Fahrin Ramadan	Education Level as a Predictor for Health Literacy Levels in a Rural Community Health Centre
Andiwijaya, Fahrin Ramadan	Three Rare Cases of Otolaryngology Tuberculosis: A Report of Extra-Pulmonary Tuberculosis Cases in the Larynx, Tonsil and Parotid
Andiwijaya, Fahrin Ramadan	Community Resilience in the Time of the COVID-19 Pandemic: A Qualitative Study on Local Perspectives in the Island of Lombok
Anggraini, Meilisva Audila	Pregnancy and COVID-19
Antono, Dwi	Maxillofacial Fibrous Dysplasia
Apriyanti, Fitri	The Effect of Monosodium Glutamate Administration on Estradiol Levels on Pregnant Wistar Rats
Apriyanza, Apriyanza	Characteristics of Hearing Impairment in Patients with Nasopharyngeal Carcinoma in AR Bunda Hospital Prabumulih June 2018 - September 2019
Aquinas, Rimelda	Correlation Between Interleukin 6 with Nasopharyngeal Carcinoma in the Minangkabau Ethnic Group
Ariendha, Dian Soekmawaty Riezqy	The Effect of Monosodium Glutamate Administration on Estradiol Levels on Pregnant Wistar Rats
Aritonang, Jessica Paramitha	Gray Patch Tinea Capitis in Two Siblings

Aroeman, Nur Akbar	Laboratory Profiles of Nasopharyngeal Carcinoma Patients
Aryanti, Gita	Management of Recurrent Regional Nasopharyngeal Carcinoma
Asa'ad, Suryani	The Development of Health Capacity Index for a Semi-Quantitative Earthquake Hazards Risk Analysis with a Special Reference to the Lombok Earthquake Disaster 2018
Astrib, Dinna	Surgical Management of Tympanojugulare Paragangliomas: A Rare and Challenging Case of Vascular Neoplasma
Atmaja, Putu Diah Ananda Putri	Tramiprosate as a Novel Treatment for Mild-Moderate Alzheimer Disease
Atmaja, Putu Diah Ananda Putri	Pregnancy and COVID-19
Avianty, Ditha Nurcahya	COVID-19 Prediction Based on DWT and Moment Invariant Features of Radiography Image Using the Artificial Neural Network Classifier
Bachtiar, Hafni	The Differences of Programmed Death Ligand 1 Expression Between the Early Stages and Advanced Stages of Nasopharyngeal Carcinoma in DR. M Djamil Padang Hospital
Bachtiar, Hafni	Correlation Between Interleukin 6 with Nasopharyngeal Carcinoma in the Minangkabau Ethnic Group
Bachtiar, Hafni	Corelation Between Epstein Barr Virus Epstein Barr Nuclear Antigen 1 DNA with Nasopharyngeal Carcinoma in Minangkabau Ethnic
Bachtiar, Hafni	Association of Toll-Like Receptor-3 Polymorphism with Nasopharyngeal Carcinoma in The Minangkabau Ethnic Group
Bimantoro, Fitri	COVID-19 Prediction Based on DWT and Moment Invariant Features of Radiography Image Using the Artificial Neural Network Classifier
Burhanudin, Ade	Bilateral Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features (NIFTP) Presenting in a Female Child
Cahyawati, Triana Dyah	COVID-19 Prediction Based on DWT and Moment Invariant Features of Radiography Image Using the Artificial Neural Network Classifier
Candra, Edo Wira	Auricle Giant Papilloma in a 32 Years Old Indonesian Male: A Case Report
Candra, Edo Wira	Voice Improvement After Thyroid Surgery
Chauna, Salsabila	Mortality Rate of People Living with HIV/AIDS on Injection Drug Users (IDU) Compared to Non-Injection Drug Users (non-IDU)

Danianto, Ario	Pregnancy and COVID-19
Darmawan, I Wayan Inggita	The Association Between Prenatal Care (PNC) Coverage and Distribution of Iron Supplements with Cases of Non-infectious Disease in Pregnant Mothers in Narmada Public Health Center (PHC), West Lombok in 2020
Darmayanti, Darmayanti	Management of Stage IVA Sinonasal Carcinoma Infiltrating Skin of Cheek: A Case Report
Dewi, Veni Rosita	Sinonasal Carcinoma Extirpation with Midfacial Degloving Approach
Dewi, Yussy Afriani	Profile of Head and Neck Neuroendocrine Carcinoma at Hasan Sadikin General Hospital Bandung from 2016 to 2020
Dewi, Yussy Afriani	Survival Rate of Patients with Diffuse Large B-Cell Lymphoma in the Head and Neck
Dewi, Yussy Afriani	Pembrolizumab Efficacy in Treatment of Carcinoma of the Head and Neck Squamous Cell
Dewi, Yussy Afriani	Laboratory Profiles of Nasopharyngeal Carcinoma Patients
Dharma, I Wayan Manacika Surya	Validity and Reliability Test of the Short Form-36 (SF-36) Item Health Survey in Indonesian Version of Post-Heart Attack Patients in Mataram City
Dirja, Bayu Tirta	Cell Multiplication in Platelet Rich Fibrin (PRF) and Platelet Rich Plasma (PRP) as Biofuels for Cartilage Tissue Engineering
Djannah, Fathul	Three Rare Cases of Otolaryngology Tuberculosis: A Report of Extra-Pulmonary Tuberculosis Cases in the Larynx, Tonsil and Parotid
Dugdale, Paul	The Association Between Prenatal Care (PNC) Coverage and Distribution of Iron Supplements with Cases of Non-infectious Disease in Pregnant Mothers in Narmada Public Health Center (PHC), West Lombok in 2020
Ekawanti, Ardiana	Zinc Deficiency among Adolescence in Stunting Locus Area, Lombok, Indonesia
Elfira, Luchia	Management of Stage IVA Sinonasal Carcinoma Infiltrating Skin of Cheek: A Case Report
Esterini, D.N.	Diagnostic Performance Between White Light Endoscopy and Narrow Band Imaging in Detection of Nasopharyngeal Carcinoma
Fadhlia, Fadhlia	Hemiglossectomy with Supraomohyoid Neck Dissection on T3N1M0 Tongue Cancer Patient

Fadhlia, Fadhlia	Management of Stage II Sinonasal Carcinoma (T2N0M0) with Transnasal Endoscopic Resection and Radiotherapy
Fadhlia, Fadhlia	Management of Stage IVA Sinonasal Carcinoma Infiltrating Skin of Cheek: A Case Report
Fadhlia, Fadhlia	Unilateral Benign Thyroid Lesion Management with Histopathology Results Following Surgery Was a Malignancy
Fakar, Wina Arsyilia	Mortality Rate of People Living with HIV/AIDS on Injection Drug Users (IDU) Compared to Non-Injection Drug Users (non-IDU)
Fathana, Prima Belia	Study of SARS-COV 2 Antibody Level Before and After the Third Covid-19 Vaccine Booster on Health Worker in Province of Nusa Tenggara Barat General Hospital
Fathana, Prima Belia	Correlations Between Laboratory, Clinical and RT-PCR Parameters in Covid-19 Patients Admitted in Nusa Tenggara Barat General Hospital
Ferdiawan, Mochamad Bagus	Assessing Effectiveness of the Dengue Hero Board Game in Improving Children's Knowledge and Attitudes on Dengue Prevention: A Randomized Controlled Experiment
Fikri, Lalu Hamzi	Mass Blood Survey Followed by Active Case Detection Success to Eradicate Malaria in Batunampar Village, Jerowaru Subdistrict, East Lombok, West Nusa Tenggara, Indonesia
Fikri, Lalu Hamzi	Community Resilience in the Time of the COVID-19 Pandemic: A Qualitative Study on Local Perspectives in the Island of Lombok
Filbertine, Jessica	Tongue Squamous Cell Carcinoma in Younger Adult Female with a History of Breast Cancer: A Rare Case Report
Gaffar, Masyita	Covid-19 Infection in a Teenage Patient with Nasopharyngeal Cancer
Gaffar, Masyita	Surgical Management of Tympanojugulare Paragangliomas: A Rare and Challenging Case of Vascular Neoplasma
Gunterus, Evans	Tornwaldt Cyst: Rare Benign Neoplasm Mimicking Nasopharyngeal Carcinoma
Hadi, Muhammad Miftahul	Association of Metabolic Syndrome with Cardiovascular Mortality in The Elderly: A Meta-Analysis
Hafiz, Al	The Differences of Programmed Death Ligand 1 Expression Between the Early Stages and Advanced Stages of Nasopharyngeal Carcinoma in DR. M Djamil Padang Hospital

Hafiz, Al	Correlation Between Interleukin 6 with Nasopharyngeal Carcinoma in the Minangkabau Ethnic Group
Hafiz, Al	Corelation Between Epstein Barr Virus Epstein Barr Nuclear Antigen 1 DNA with Nasopharyngeal Carcinoma in Minangkabau Ethnic
Hafiz, Al	Association of Toll-Like Receptor-3 Polymorphism with Nasopharyngeal Carcinoma in The Minangkabau Ethnic Group
Handriani, Riska	Management of Stage II Sinonasal Carcinoma (T2N0M0) with Transnasal Endoscopic Resection and Radiotherapy
Haq, Abiyyu Didar	Tramiprosate as a Novel Treatment for Mild-Moderate Alzheimer Disease
Hatta, Mochammad	The Development of Health Capacity Index for a Semi-Quantitative Earthquake Hazards Risk Analysis with a Special Reference to the Lombok Earthquake Disaster 2018
Hayati, Rusina	Characteristics of Patients with Malignant Laryngeal Tumors in Annually Forest Fire Region in Indonesia
Herdini, Camelia	Maxillary Giant Cell Tumor in Jogjakarta, Indonesia: A Case Report
Herdini, Camelia	Nasopharyngeal Carcinoma with Extensive Nodular Skin Metastasis
Herdini, Camelia	Relationship of Nodule Type and Size with Thyroid Malignancy
Hermani, Bambang	Jakarta Head and Neck Oncology Surgery Priority Score (Ja-HOP)
Hermono, Betty S.	Pembrolizumab Efficacy in Treatment of Carcinoma of the Head and Neck Squamous Cell
Hernowo, Bethy Suryawathy	Survival Rate of Patients with Diffuse Large B-Cell Lymphoma in the Head and Neck
Hidajat, Dedianto	Gray Patch Tinea Capitis in Two Siblings
Hidajat, Dedianto	Polypharmacy as a Risk Factor for Exanthematous Drug Eruption
Humaera, Nada Nafisha	How Early Detection Error Can Lead to Severe Prognosis in Patient with Post-Partum Urinary Retention: A Case Report of Two Cases
Hunaifi, Ilsa	Neurological Aspects of Long COVID-19: A Review
Hutagalung, V.N.	Diagnostic Performance Between White Light Endoscopy and Narrow Band Imaging in Detection of Nasopharyngeal Carcinoma
Indrasari, Sagung Rai	Maxillary Giant Cell Tumor in Jogjakarta, Indonesia: A Case Report

Indrasari, Sagung Rai	Nasopharyngeal Carcinoma with Extensive Nodular Skin Metastasis
Indriyani, Sang Ayu Kompiyang	Covid-19 Infection in a Teenage Patient with Nasopharyngeal Cancer
Irawati, Deasy	Zinc Deficiency among Adolescence in Stunting Locus Area, Lombok, Indonesia
Irawati, Deasy	Mass Blood Survey Followed by Active Case Detection Success to Eradicate Malaria in Batunampar Village, Jerowaru Subdistrict, East Lombok, West Nusa Tenggara, Indonesia
Iskandar, Baluqia	Management of Pleomorphic Adenoma of Submandibular Gland: A Rare Case
Isnaeni, Wilya	The Development of Health Capacity Index for a Semi-Quantitative Earthquake Hazards Risk Analysis with a Special Reference to the Lombok Earthquake Disaster 2018

Iswari, Putu Wika Pramesti	Mortality Rate of People Living with HIV/AIDS on Injection Drug Users (IDU) Compared to Non-Injection Drug Users (non-IDU)
Ivanny, Putri Sari	Association of Toll-Like Receptor-3 Polymorphism with Nasopharyngeal Carcinoma in The Minangkabau Ethnic Group
Jumsa, Muhammad Rizkinov	Pregnancy and COVID-19
Jumsa, Muhammad Rizkinov	Placenta Previa Accreta: A Case Report on Management of Elective Cesarean Delivery at Tertiary Hospital in West Nusa Tenggara
Jumsa, Muhammad Rizkinov	How Early Detection Error Can Lead to Severe Prognosis in Patient with Post-Partum Urinary Retention: A Case Report of Two Cases
Jumsa, Muhammad Rizkinov Jumsa	Different Outcome in Early and Late Abdominal Pregnancy
Junior, David Giffard Kawi	Neurological Aspects of Long COVID-19: A Review
Kadarullah, Oke	Solitary Neurofibroma of the Palate
Kadriyan, Hamsu	Covid-19 Infection in a Teenage Patient with Nasopharyngeal Cancer
Kadriyan, Hamsu	Hematologic Profile in Patients with Nasopharyngeal Carcinoma
Kadriyan, Hamsu	Characteristics of Patients with Malignant Laryngeal Tumors in Annually Forest Fire Region in Indonesia
Kadriyan, Hamsu	Education Level as a Predictor for Health Literacy Levels in a Rural Community Health Centre
Kadriyan, Hamsu	Lessons Learned from Online Qualitative Data Collection in an International Collaborative Study During the COVID-19 Pandemic
Kadriyan, Hamsu	Three Rare Cases of Otolaryngology Tuberculosis: A Report of Extra-Pulmonary Tuberculosis Cases in the Larynx, Tonsil and Parotid
Kadriyan, Hamsu	Community Resilience in the Time of the COVID-19 Pandemic: A Qualitative Study on Local Perspectives in the Island of Lombok
Karima, A.	Different Outcome in Early and Late Abdominal Pregnancy
Karima, Ainun	Placenta Previa Accreta: A Case Report on Management of Elective Cesarean Delivery at Tertiary Hospital in West Nusa Tenggara

Karsa, Nadya Dwi	The Differences of Programmed Death Ligand 1 Expression Between the Early Stages and Advanced Stages of Nasopharyngeal Carcinoma in DR. M Djamil Padang Hospital
Kawilarang, Arthur Pohan	Mucormycosis in Healthy Young Man
Kobayashi, Jun	Lessons Learned from Online Qualitative Data Collection in an International Collaborative Study During the COVID-19 Pandemic
Kobayashi, Jun	Community Resilience in the Time of the COVID-19 Pandemic: A Qualitative Study on Local Perspectives in the Island of Lombok
Kurnia, Benny	Quality of Life in a Patient with Total Laryngectomy Without Neck Dissection for Stage III Laryngeal Carcinoma
Kurnia, Benny	Hemiglossectomy with Supraomohyoid Neck Dissection on T3N1M0 Tongue Cancer Patient
Kurnia, Benny	Management of Stage II Sinonasal Carcinoma (T2N0M0) with Transnasal Endoscopic Resection and Radiotherapy
Kurnia, Benny	Management of Stage IVA Sinonasal Carcinoma Infiltrating Skin of Cheek: A Case Report
Kurniawan, Yudhi	Covid-19 Infection in a Teenage Patient with Nasopharyngeal Cancer
Kusdaryono, Sigit	Assessing Effectiveness of the Dengue Hero Board Game in Improving Children's Knowledge and Attitudes on Dengue Prevention: A Randomized Controlled Experiment
Lasiaprillianty, Intan Wahyu	Pregnancy and COVID-19
Lestari, Rina	COVID-19 Prediction Based on DWT and Moment Invariant Features of Radiography Image Using the Artificial Neural Network Classifier
Lestari, Rina	Study of SARS-COV 2 Antibody Level Before and After the Third Covid-19 Vaccine Booster on Health Worker in Province of Nusa Tenggara Barat General Hospital
Lestari, Rina	Correlations Between Laboratory, Clinical and RT-PCR Parameters in Covid-19 Patients Admitted in Nusa Tenggara Barat General Hospital
Lestarini, Ima Arum	Three Rare Cases of Otolaryngology Tuberculosis: A Report of Extra-Pulmonary Tuberculosis Cases in the Larynx, Tonsil and Parotid
Lumbantobing, Izry Naomi	Follicular Lymphoma Mimicking a Benign Submandibular Gland Tumor

Mahayasa, I M.W.	Different Outcome in Early and Late Abdominal Pregnancy
Marhaban, Marhaban	Quality of Life in a Patient with Total Laryngectomy Without Neck Dissection for Stage III Laryngeal Carcinoma
Marlina, L.	Diagnostic Performance Between White Light Endoscopy and Narrow Band Imaging in Detection of Nasopharyngeal Carcinoma
Mayangsari, Ika Dewi	Jakarta Head and Neck Oncology Surgery Priority Score (Ja-HOP)
Mayangsari, Ika Dewi	Management of Atypia of Undetermined Significant Thyroid Nodule
Monik, Alamanda	Tornwaldt Cyst: Rare Benign Neoplasm Mimicking Nasopharyngeal Carcinoma
Moulanda, Ferucha	Maxillary Sinus Odontogenic Keratocyst: Role of Radiology and Surgical Approach
Moulanda, Ferucha	Jakarta Head and Neck Oncology Surgery Priority Score (Ja-HOP)
Moulanda, Ferucha	Management of Atypia of Undetermined Significant Thyroid Nodule
Mulyanto, Mulyanto	Mass Blood Survey Followed by Active Case Detection Success to Eradicate Malaria in Batunampar Village, Jerowaru Subdistrict, East Lombok, West Nusa Tenggara, Indonesia
Musafira, Siti Fadhila	The Association Between Prenatal Care (PNC) Coverage and Distribution of Iron Supplements with Cases of Non-infectious Disease in Pregnant Mothers in Narmada Public Health Center (PHC), West Lombok in 2020
Nayoan, Christin Rony	Maxillofacial Fibrous Dysplasia
Nazar, Ifiq Budiyan	Survival Rate of Patients with Diffuse Large B-Cell Lymphoma in the Head and Neck
Nazar, Ifiq Budiyan	Pembrolizumab Efficacy in Treatment of Carcinoma of the Head and Neck Squamous Cell
Nazar, Ifiq Budiyan	Laboratory Profiles of Nasopharyngeal Carcinoma Patients
Ng, Chong Sian	"COMMANDO" Procedures in Cancer of the Head & Neck: Short Communication
Nuaba, I Gde Ardika	Characteristics of Laryngeal Carcinoma Patients Who Underwent Surgery in Bali, Indonesia

Nurbaiti, Lina	The Association Between Prenatal Care (PNC) Coverage and Distribution of Iron Supplements with Cases of Non-infectious Disease in Pregnant Mothers in Narmada Public Health Center (PHC), West Lombok in 2020
Nurbaiti, Lina	Zinc Deficiency among Adolescence in Stunting Locus Area, Lombok, Indonesia
Octora, Metta	Mucormycosis in Healthy Young Man
Octora, Metta	Correlations Between Laboratory, Clinical and RT-PCR Parameters in Covid-19 Patients Admitted in Nusa Tenggara Barat General Hospital
Oktarina, D.A.M.	Nasopharyngeal Carcinoma with Extensive Nodular Skin Metastasis
Pamuji, M.A.	Diagnostic Performance Between White Light Endoscopy and Narrow Band Imaging in Detection of Nasopharyngeal Carcinoma
Pamungkas, Indra Parmaditya	Jakarta Head and Neck Oncology Surgery Priority Score (Ja-HOP)
Permana, Agung Dinasti	Profile of Head and Neck Neuroendocrine Carcinoma at Hasan Sadikin General Hospital Bandung from 2016 to 2020
Permana, Agung Dinasti	Survival Rate of Patients with Diffuse Large B-Cell Lymphoma in the Head and Neck
Permatasari, Lina	The Review of <i>Baccaurea racemosa</i> : Neglected Plants, but Potential to be Developed
Pieter, Nova	Surgical Management of Tympanojugulare Paragangliomas: A Rare and Challenging Case of Vascular Neoplasma
Pieter, Nova L. Audrey	Covid-19 Infection in a Teenage Patient with Nasopharyngeal Cancer
Pintaningrum, Yusra	The Prevalence of Cardiovascular Comorbidity in COVID-19 at West Nusa Tenggara General Hospital from March to December 2020
Pintaningrum, Yusra	Acquired Long QT Syndrome (LQTS) Secondary to Electrolyte Imbalance: A Case Report
Pintaningrum, Yusra	A Rare Case of Embolic Stroke in Patient with Uncorrected Pentalogy of Fallot: A Case Report
Pintaningrum, Yusra	Study of SARS-COV 2 Antibody Level Before and After the Third Covid-19 Vaccine Booster on Health Worker in Province of Nusa Tenggara Barat General Hospital

Sari, Putu Suwita	Community Resilience in the Time of the COVID-19 Pandemic: A Qualitative Study on Local Perspectives in the Island of Lombok
Satriawan, Rully	Maxillofacial Fibrous Dysplasia
Selvianti, Selvianti	Extranodal Natural Killer (NK)/T-cell Lymphoma Nasal type
Setiani, Lily	Quality of Life in a Patient with Total Laryngectomy Without Neck Dissection for Stage III Laryngeal Carcinoma
Setiani, Lily	Management of Pleomorphic Adenoma of Submandibular Gland: A Rare Case
Shibuya, Fumiko	Lessons Learned from Online Qualitative Data Collection in an International Collaborative Study During the COVID-19 Pandemic
Siagian, Karina Witary Ayu	Hemiglossectomy with Supraomohyoid Neck Dissection on T3N1M0 Tongue Cancer Patient
Subaktianto, Heru Farah	Mass Blood Survey Followed by Active Case Detection Success to Eradicate Malaria in Batunampar Village, Jerowaru Subdistrict, East Lombok, West Nusa Tenggara, Indonesia
Sulaiman, Eman	Nasopharyngeal Carcinoma Patient Characteristics at Sayang General Hospital Cianjur West Java
Sulan, Baiq Maygina Nafsa	The Association Between Prenatal Care (PNC) Coverage and Distribution of Iron Supplements with Cases of Non-infectious Disease in Pregnant Mothers in Narmada Public Health Center (PHC), West Lombok in 2020
Sumpono, Auliya S.B	Nasopharyngeal Carcinoma with Extensive Nodular Skin Metastasis
Suryani, Dewi	Assessing Effectiveness of the Dengue Hero Board Game in Improving Children's Knowledge and Attitudes on Dengue Prevention: A Randomized Controlled Experiment
Susana, Elvita Nora	Management of Pleomorphic Adenoma of Submandibular Gland: A Rare Case
Susana, Elvita Nora	Unilateral Benign Thyroid Lesion Management with Histopathology Results Following Surgery Was a Malignancy
Susilawati, Susilawati	Hematologic Profile in Patients with Nasopharyngeal Carcinoma
Sutirtayasa, Wayan Putu	Hematologic Profile in Patients with Nasopharyngeal Carcinoma
Suwana, Febie Putra	Different Outcome in Early and Late Abdominal Pregnancy
Suwana., F.P.	Placenta Previa Accreta: A Case Report on Management of Elective Cesarean Delivery at Tertiary Hospital in West Nusa Tenggara
Sari, Dian Puspita	Lessons Learned from Online Qualitative Data Collection in an International Collaborative Study During the COVID-19 Pandemic
Sari, Dian Puspita	Assessing Effectiveness of the Dengue Hero Board Game in Improving Children's Knowledge and Attitudes on Dengue Prevention: A Randomized Controlled Experiment
Sari, Dian Puspita	Validity and Reliability Test of the Short Form-36 (SF-36) Item Health Survey in Indonesian Version of Post-Heart Attack Patients in Mataram City

Syamsuddin, Saidah	The Development of Health Capacity Index for a Semi-Quantitative Earthquake Hazards Risk Analysis with a Special Reference to the Lombok Earthquake Disaster 2018
Syamsun, Arfi	Education Level as a Predictor for Health Literacy Levels in a Rural Community Health Centre
Takeuchi, Rie	Lessons Learned from Online Qualitative Data Collection in an International Collaborative Study During the COVID-19 Pandemic
Tarigan, Devi RM	Acute Dysbaric Disorders: A Case Series in The Hyperbaric Center in Lombok 2016-2020
Tasya, L.	Diagnostic Performance Between White Light Endoscopy and Narrow Band Imaging in Detection of Nasopharyngeal Carcinoma
Taufik S, Ahmad	Cell Multiplication in Platelet Rich Fibrin (PRF) and Platelet Rich Plasma (PRP) as Biofuels for Cartilage Tissue Engineering
Taufik S, Ahmad	Mass Blood Survey Followed by Active Case Detection Success to Eradicate Malaria in Batunampar Village, Jerowaru Subdistrict, East Lombok, West Nusa Tenggara, Indonesia
Trixie, J.A.	Diagnostic Performance Between White Light Endoscopy and Narrow Band Imaging in Detection of Nasopharyngeal Carcinoma
Tuang, Geng Ju	"COMMANDO" Procedures in Cancer of the Head & Neck: Short Communication
Utama, Denny Satria	Sinonasal Carcinoma Extirpation with Midfacial Degloving Approach
Utama, Denny Satria	Characteristics of Hearing Impairment in Patients with Nasopharyngeal Carcinoma in AR Bunda Hospital Prabumulih June 2018 - September 2019
Utama, Denny Satria	Cystic Adenomatoid Thyroid Nodule
Utomo, B.S.R.	Diagnostic Performance Between White Light Endoscopy and Narrow Band Imaging in Detection of Nasopharyngeal Carcinoma
Wardhani, Amanda Carissa	Profile of Head and Neck Neuroendocrine Carcinoma at Hasan Sadikin General Hospital Bandung from 2016 to 2020
Wardoyo, Eustachius Hagni	Acute Dysbaric Disorders: A Case Series in The Hyperbaric Center in Lombok 2016-2020
Warnaini, Cut	Mortality Rate of People Living with HIV/AIDS on Injection Drug Users (IDU) Compared to Non-Injection Drug Users (non-IDU)

Warnaini, Cut	Tramiprosate as a Novel Treatment for Mild-Moderate Alzheimer Disease
Warnaini, Cut	Lessons Learned from Online Qualitative Data Collection in an International Collaborative Study During the COVID-19 Pandemic
Warnaini, Cut	The Association Between Prenatal Care (PNC) Coverage and Distribution of Iron Supplements with Cases of Non-infectious Disease in Pregnant Mothers in Narmada Public Health Center (PHC), West Lombok in 2020
Wasito, Eddy Bagus	Mucormycosis in Healthy Young Man
Wibowo, Anton Sony	Relationship of Nodule Type and Size with Thyroid Malignancy
Wiguna, Visakha Vidyadevi	Tramiprosate as a Novel Treatment for Mild-Moderate Alzheimer Disease
Wijaya, I Gede Pasek Suta	COVID-19 Prediction Based on DWT and Moment Invariant Features of Radiography Image Using the Artificial Neural Network Classifier
Wiweko, Adnanto	Cell Multiplication in Platelet Rich Fibrin (PRF) and Platelet Rich Plasma (PRP) as Biofuels for Cartilage Tissue Engineering
Wiweko, Adnanto	Mass Blood Survey Followed by Active Case Detection Success to Eradicate Malaria in Batunampar Village, Jerowaru Subdistrict, East Lombok, West Nusa Tenggara, Indonesia
Yanwirasti, Yanwirasti	The Effect of Monosodium Glutamate Administration on Estradiol Levels on Pregnant Wistar Rats
Yudhanto, Didit	Mass Blood Survey Followed by Active Case Detection Success to Eradicate Malaria in Batunampar Village, Jerowaru Subdistrict, East Lombok, West Nusa Tenggara, Indonesia
Yudistira, Danu	Maxillary Giant Cell Tumor in Jogjakarta, Indonesia: A Case Report
Yudistira, Danu	Nasopharyngeal Carcinoma with Extensive Nodular Skin Metastasis
Yue, Ricky	Tongue Squamous Cell Carcinoma in Younger Adult Female with a History of Breast Cancer: A Rare Case Report
Yunus, Mohd Razif Mohamad	"COMMANDO" Procedures in Cancer of the Head & Neck: Short Communication
Zuhan, Arif	Characteristics of Colorectal Cancer Patients in General Hospital of West Nusa Tenggara Province
de los Reyes, Calvin	Lessons Learned from Online Qualitative Data Collection in an International Collaborative Study During the COVID-19 Pandemic

Proceedings of the 2nd Global Health and Innovation in conjunction with 6th ORL Head and Neck Oncology Conference (ORLHN 2021)

Chief Advisor/Editor

Dr. dr. Hamsu Kadriyan, Sp.T.H.T.K.L(K), M.Kes., FICS.

University of Mataram, Indonesia

Steering Committee Chairs/Editors

Prof. Dr. Lalu Husni, SH., M.Hum.

University of Mataram, Indonesia

Prof. dr. Bambang Hermani, Sp.T.H.T.K.L(K)

Universitas Indonesia, Indonesia

Prof. Dr. dr. Jenny Bashiruddin, Sp.T.H.T.K.L(K)

Chairman of Indonesian ORL-HNS, Indonesia

Chairperson

Dr. dr. Hamsu Kadriyan, Sp.T.H.T.K.L(K), M.Kes., FICS.

Universitas Indonesia, Indonesia

Vice Chairperson

dr. Ibrahim Irsan Nasution, Sp.T.H.T.K.L(K).

Universitas Indonesia, Indonesia

Treasurer

dr. I Gusti Ayu Trisna Aryani, Sp.T.H.T.K.L.

Universitas Indonesia, Indonesia

Secretary

dr. Ni Ketut Susilawati, Sp.T.H.T.K.L.

Universitas Indonesia, Indonesia

Managing Editor

Dr. Gunawan, M.Pd.

University of Mataram, Indonesia

Editors/Reviewers

Dr. dr. Yussy Afriani Dewi, Sp.T.H.T.K.L(K), M.Kes., FICS.

Universitas Padjadjaran, Indonesia

Prof. Patravoot Vatanasapt
Khon Kaen University, Thailand

Mohd. Razif Mohammad Yunus
University Kebangsaan, Malaysia

dr. Marlinda Adham, Sp.T.H.T.K.L(K), Ph.D.
Universitas Indonesia, Indonesia

Prof. Jun Kobayashi
Ryukyus University, Japan

Prof. Dr. dr. Farhat, Sp.T.H.T.K.L(K), M.Ked.(ORL-HNS), FICS.
Sumatera Utara University, Indonesia

dr. Fahrin Ramadhan Andiwijaya, M.Sc.
University of Mataram, Indonesia

Arina Windi Rivarty
University of Mataram, Indonesia

Lina Permatasari
University of Mataram, Indonesia

Publication Division

I Made Yeni Suranti, M.Pd.
Indonesian Publication Center (IPC), Indonesia

Nina Nisrina, M.Pd.
Indonesian Publication Center (IPC), Indonesia

Imran, M.Sc., M.Pd.
Indonesian Publication Center (IPC), Indonesia

Fathoroni, M.Pd.
Indonesian Publication Center (IPC), Indonesia